

List of Butterflies from Tambopata (Explorer's Inn Reserve)

Gerardo Lamas

NYMPHALIDAE**Heliconiinae**

Acraeini

1. *Actinote pellenea hyalina* Jordan, 1913

Heliconiini

2. *Philaethria dido* (Linnaeus, 1763)
3. *Agraulis vanillae lucina* C & R Felder, 1862
4. *Dione juno juno* (Cramer, 1779)
5. *Dryadula phaetusa* (Linnaeus, 1758)
6. *Dryas iulia alcionea* (Cramer, 1779)
7. *Eueides aliphera aliphera* (Godart, 1819)
8. *E. heliconioides heliconioides*
C & R Felder, 1861
9. *E. isabella hippolinus* Butler, 1873
10. *E. lampeto concisa* Lamas, 1985
11. *E. tales tabernula* Lamas, 1985
12. *E. vibilia unifasciata* Butler, 1873
13. *Laparus doris doris* (Linnaeus, 1771)
14. *Neruda aoede manu* (Lamas, 1976)
15. *Heliconius burneyi ada* Neustetter, 1925
16. *H. demeter tambopata* Lamas, 1985
17. *H. elevatus lapis* Lamas, 1976
18. *H. erato luscombei* Lamas, 1976
19. *H. hecale sisyphus* Salvin, 1871
20. *H. leucadia* Bates, 1862
21. *H. melpomene schunkei* Lamas, 1976
22. *H. numata lyrcaeus* Weymer, 1891
23. *H. pardalinus maeon* Weymer, 1891
24. *H. sara thamar* (Hübner, 1806)
25. *H. wallacei flavescens* Weymer, 1891

Nymphalinae

Nymphalini

26. *Hypanartia lethe* (Fabricius, 1793)

Kallimini

27. *Anartia amathea sticheli* Fruhstorfer, 1907
28. *A. jatrophae jatrophae* (Linnaeus, 1763)
29. *Metamorpha elissa elissa* Hübner, 1819
30. *Napeocles jucunda* (Hübner, 1808)
31. *Siproeta epaphus epaphus* (Latreille, 1813)
32. *S. stelenes meridionalis* (Fruhstorfer, 1909)

33. *Junonia genoveva occidentalis*

C. & R. Felder, 1862

Melitaeini

34. *Anthanassa drusilla verena* (Hewitson, 1864)
35. *Castilia angusta* (Hewitson, 1868)
36. *C. perilla acraeina* (Hewitson, 1864)
37. *Mazia amazonica* ssp. n.
38. *Eresia clara clara* Bates, 1864
39. *E. eunice olivencia* Bates, 1864
40. *E. nauplius plagiata* (Röber, 1914)
41. *Ortilia gentina* Higgins, 1981
42. *Tegosa claudina* (Eschscholtz, 1821)
43. *T. serpia* Higgins, 1981
44. *Telenassa burchelli* (Moulton, 1909)

Limnitiidinae

Cocini

45. *Historis acheronta acheronta*
(Fabricius, 1775)
46. *H. odius* ssp. n.
47. *Baeotus amazonicus* (Riley, 1919)
48. *B. beotus* (Doubleday, 1849)
49. *B. deucalion* (C & R Felder, 1860)
50. *B. japetus* (Staudinger, 1885)
51. *Smyrna blomfieldia blomfieldia*
(Fabricius, 1782)
52. *Colobura dirce dirce* (Linnaeus, 1758)
53. *Tigridia acesta tapajona* (Butler, 1873)

Biblidini

54. *Biblis hyperia laticlavata* (Thieme, 1904)
55. *Vila azeca azeca* (Doubleday, 1848)
56. *V. emilia caecilia* (C & R Felder, 1862)
57. *Myscelia capenas octomaculata*
(Butler, 1873)
58. *Catonephele acontius acontius*
(Linnaeus, 1771)
59. *C. antinoe* (Godart, 1824)
60. *C. numilia numilia* (Cramer, 1775)
61. *C. salacia* (Hewitson, 1852)
62. *Nessaea obrina lesoudieri* LeMoult, 1933
63. *Eunica alpais alpais* (Godart, 1824)
64. *E. amelia erroneata* Oberthür, 1916

65. *E. caelina alycia* Fruhstorfer, 1909
 66. *E. clytia* (Hewitson, 1852)
 67. *E. concordia* (Hewitson, 1852)
 68. *E. eurota eurota* (Cramer, 1775)
 69. *E. ingens* Seitz, 1916
 70. *E. maja noerina* Hall, 1935
 71. *E. malvina malvina* Bates, 1864
 72. *E. marsolia fasula* Fruhstorfer, 1909
 73. *E. mygdonia mygdonia* (Godart, 1824)
 74. *E. norica occia* Fruhstorfer, 1909
 75. *E. orphise* (Cramer, 1775)
 76. *E. phasis* C & R Felder, 1862
 77. *E. pusilla* Bates, 1864
 78. *E. sophonisba agele* Seitz, 1916
 79. *E. sydonia sydonia* (Godart, 1824)
 80. *E. volumna celma* (Hewitson, 1852)
 81. *Hamadryas amphinome amphinome* (Linnaeus, 1767)
 82. *H. chloe chloe* (Stoll, 1787)
 83. *H. feronia feronia* (Linnaeus, 1758)
 84. *H. iphthime iphthime* (Bates, 1864)
 85. *H. laodamia laodamia* (Cramer, 1777)
 86. *Ectima iona* Doubleday, 1848
 87. *E. thecla astricta* Fruhstorfer, 1908
 88. *Panacea prola amazonica* Fruhstorfer, 1915
 89. *P. regina* (Bates, 1864)
 90. *Asterope markii hewitsoni* (Staudinger, 1886)
 91. *Pyrrhogyra crameri hagnodorus* Fruhstorfer, 1908
 92. *P. edocla cuparina* Bates, 1865
 93. *P. neareia amphiro* Bates, 1865
 94. *P. otolais olivenca* Fruhstorfer, 1908
 95. *Temenis laothoe laothoe* (Cramer, 1777)
 96. *T. pulchra pallidior* (Oberthür, 1901)
 97. *Nica flavilla sylvestris* Bates, 1864
 98. *Peria lamis* (Cramer, 1779)
 99. *Dynamine aerata aerata* (Butler, 1877)
 100. *D. agacles agacles* (Dalman, 1823)
 101. *D. artemisia glauca* (Bates, 1865)
 102. *D. athemon barreiroi* Fernández, 1928
 103. *D. coenus leucothea* (Bates, 1865)
 104. *D. myrson* (Doubleday, 1849)
 105. *D. postverta postverta* (Cramer, 1779)
 106. *D. racidula racidula* (Hewitson, 1852)
 107. *Haematera pyrame* ssp. n.
 108. *Catacore kolya pasithea* (Hewitson, 1864)
 109. *Diaethria clymena peruviana* (Guenée, 1872)
 110. *Paulogramma pyracmon peristera* (Hewitson, 1853)
 111. *Callicore astarte stratiotes* (C & R Felder, 1861)
 112. *C. cynosura cynosura* (Doubleday, 1847)
 113. *C. eunomia carmen* (Oberthür, 1916)
 114. *C. excelsior ockendeni* (Oberthür, 1916)
 115. *C. hesperis* (Guérin, 1844)
 116. *C. hystaspes zelphanta* (Hewitson, 1858)
 117. *C. pygas cyllene* (Doubleday, 1847)
-
- Limenitidini**
-
118. *Adelpha aethalia davisii* (Butler, 1877)
 119. *A. attica* (C & R Felder, 1867)
 120. *A. cocala urraca* (C & R Felder, 1862)
 121. *A. cytherea lanilla* Fruhstorfer, 1913
 122. *A. epione agilla* Fruhstorfer, 1907
 123. *A. iphichus iphichus* (Linnaeus, 1758)
 124. *A. ixia pseudomessana* Fruhstorfer, 1913
 125. *A. jordani* Fruhstorfer, 1913
 126. *A. lerna lerna* (Hewitson, 1847)
 127. *A. malea fugela* Fruhstorfer, 1916
 128. *A. melona melona* (Hewitson, 1847)
 129. *A. mesentina chancha* Staudinger, 1886
 130. *A. naxia naxia* (C & R Felder, 1867)
 131. *A. paraena* (Bates, 1865)
 132. *A. phylaca juruana* (Butler, 1877)
 133. *A. plesaure phliassa* (Godart, 1824)
 134. *A. thesprotia delphicola* Fruhstorfer, 1909
 135. *A. zunilaces* (?) ssp. n.
-
- Cyrestidini**
-
136. *Marpesia berania berania* (Hewitson, 1852)
 137. *M. chiron marius* (Cramer, 1779)
 138. *M. crethon* (Fabricius, 1776)
 139. *M. egina* (Bates, 1865)
 140. *M. furcula oechalia* (Westwood, 1850)

(SR) Sight record only

APPENDIX 12

141. *M. petreus petreus* (Cramer, 1776)
142. *M. themistocles norica* (Hewitson, 1852)

Charaxinae

143. *Consul fabius divisus* (Butler, 1874)
144. *Hypna clytemnestra negra*
C. & R. Felder, 1862 (SR)
145. *Siderone galanthis thebais*
C. & R. Felder, 1862
146. *Zaretis itus itus* (Cramer, 1777)
147. *Fountainea chrysophana* (Bates, 1866)
148. *F. euryptyle euryptyle* (C & R Felder, 1862)
149. *Memphis basilia drucei* (Staudinger, 1887)
150. *M. cambyses* (Druce, 1877)
151. *M. glauce glauce* (C & R Felder, 1862)
152. *M. moruus memphis* (C & R Felder, 1867)
153. *M. phantes phantes* (Hopffer, 1874)
154. *M. phila morpheus* (Staudinger, 1886)
155. *M. philumena philumena* (Doubleday, 1849)
156. *M. polycarmes* (Fabricius, 1775)
157. *M. polyxo* (Druce, 1874)
158. *M. xenocles xenocles* (Hewitson, 1850)
159. *Archaeoprepona amphimachus symaithus*
Fruhstorfer, 1916
160. *A. demophon muson* (Fruhstorfer, 1905)
161. *A. demophoon andicola* (Fruhstorfer, 1904)
162. *A. licomedes* (Cramer, 1777)
163. *A. meander megabates* Fruhstorfer, 1916
164. *Prepona dexamenus dexamenus*
Hopffer, 1874
165. *P. laertes demodice* (Godart, 1824)
166. *P. pheridamas* (Cramer, 1777)
167. *P. pylene eugenes* Bates, 1865
168. *Agrias amydon aristoxenus* Niepelt, 1913
169. *A. claudina sardanapalus* Bates, 1860

Apaturinae

170. *Doxocopa agathina agathina* (Cramer, 1777)
171. *D. laure griseldis* (C & R Felder, 1862)
172. *D. lavinia* (Butler, 1866)
173. *D. linda linda* (C & R Felder, 1862)
174. *D. pavon pavon* (Latreille, 1809)
175. *D. zunilda floris* (Fruhstorfer, 1907)

Morphinae

176. *Antirreha hela* C & R Felder, 1862
177. *A. philoctetes avernus* Hopffer, 1874
178. *A. taygetina taygetina* (Butler, 1868)
179. *Caerois chorinaeus protonoe*
Fruhstorfer, 1912
180. *Morpho absoloni* May, 1924
181. *M. achilles theodorus* Fruhstorfer, 1907
182. *M. deidamia grambergi* Weber, 1944
183. *M. hecuba cisseistrica*
LeMoult & Réal, 1962 (SR)
184. *M. menelaus alexandrovna* Druce, 1874
185. *M. telemachus iphichus*
C & R Felder, 1862 (SR)
186. *M. zephyritis* Butler, 1873

Brassolinae

187. *Brassolis sophorae ardens* Stichel, 1903
188. *Narope cyllabarus* Westwood, 1851
189. *N. nesope* Hewitson, 1869
190. *N. panniculus* Stichel, 1904
191. *N. syllabus* Staudinger, 1887
192. *Dynastor darius* ssp. (SR)
193. *Opsiphanes cassiae crameri*
C & R Felder, 1862
194. *O. invirae amplificatus* Stichel, 1904
195. *O. quiteria quaestor* Stichel, 1902
196. *Ooptera aorsa hilara* Stichel, 1902
197. *Catoblepia berecynthia adjecta* Stichel, 1906
198. *C. soranus* Westwood, 1851
199. *C. xanthicles belisar* Stichel, 1904
200. *Selenophanes cassiope mapiriensis*
Bristow, 1982
201. *Eryphanis automedon tristis*
Staudinger, 1887
202. *Caligopsis seleucida seleucida*
(Hewitson, 1877)
203. *Caligo euphorbus euphorbus*
(C & R Felder, 1862)
204. *C. eurilochus livius* Staudinger, 1886
205. *C. idomeneus idomenides* Fruhstorfer, 1903
206. *C. illioneus praxiodus* Fruhstorfer, 1912
207. *C. placidianus* Staudinger, 1887
208. *C. teucer semicaerulea* Joicey & Kaye, 1917

Satyrinae

209. *Cithaerias pireta* ssp. n.
 210. *Haetera piera* ssp. n.
 211. *Pierella astyoche boliviana* Brown, 1948
 212. *P. hortona albofasciata*
 Rosenberg & Talbot, 1914
 213. *P. hyalina extincta* Weymer, 1910
 214. *P. lamia chalybaea* Godman, 1905
 215. *P. lena brasiliensis* (C & R Felder, 1862)
 216. *Bia actorion rebeli* Bryk, 1953
 217. *Manataria hercyna hymethia*
 Fruhstorfer, 1912
 218. *Harjesia blanda* (Möschler, 1877)
 219. *H. obscura* (Butler, 1867)
 220. *H. oreba* (Butler, 1870)
 221. *Pseudodebis griseola* (Weymer, 1911)
 222. *P. marpessa* (Hewitson, 1862)
 223. *P. valentina* (Cramer, 1779)
 224. *Taygetis angulosa* Weymer, 1907
 225. *T. cleopatra* C & R Felder, 1862
 226. *T. echo koepcke* Forster, 1964
 227. *T. larua* C & R Felder, 1867
 228. *T. mermeria mermeria* (Cramer, 1776)
 229. *T. sosis* Hopffer, 1874
 230. *T. sylvia* Bates, 1866
 231. *T. thamyra* (Cramer, 1779)
 232. *T. virgilia* (Cramer, 1776)
 233. *Caeruleptychia aegrota* (Butler, 1867)
 234. *C. cyanites* (Butler, 1871)
 235. *C. helios* (Weymer, 1911)
 236. *C. lobelia* (Butler, 1870)
 237. *C. scopulata* (Godman, 1905)
 238. *C. ziza* (Butler, 1869)
 239. *Cepheptychia cephus cephus*
 (Fabricius, 1775)
 240. *Cepheptychia* sp. n.
 241. *Chloreptychia arnaca* (Fabricius, 1776)
 242. *C. catharina* (Staudinger, 1886)
 243. *C. herseis* (Godart, 1824)
 244. *C. hewitsonii* (Butler, 1867)
 245. *Chloreptychia* sp. n. 1
 246. *Chloreptychia* sp. n. 2
 247. *Cissia myncea* (Cramer, 1780)
 248. *C. palladia* (Butler, 1867)
 249. *C. penelope* (Fabricius, 1775)
 250. *C. proba* (Weymer, 1911)
 251. *C. terrestris* (Butler, 1867)
 252. *Erichthodes erichtho* (Butler, 1867)
 253. *Euptychia enyo* Butler, 1867
 254. *Hermeptychia hermes* (Fabricius, 1775)
 255. *Magneptychia aliciae* (Hayward, 1957)
 256. *M. ayaya* (Butler, 1867)
 257. *M. batesii* (Butler, 1867)
 258. *M. gera nobilis* (Weymer, 1911)
 259. *M. "helle"* (Cramer, 1779) - homonym
 260. *M. lea philippa* (Butler, 1867)
 261. *M. libye* (Linnaeus, 1767)
 262. *M. moderata* (Weymer, 1911)
 263. *M. modesta* (Butler, 1867)
 264. *M. ocypete* (Fabricius, 1776)
 265. *M. pallega* (Schaus, 1902)
 266. *M. tricolor fulgora* (Butler, 1869)
 267. *Magneptychia* sp. n. 1
 268. *Magneptychia* sp. n. 2
 269. *Magneptychia* sp. n. 3
 270. *Megeptychia antonoe* (Cramer, 1775)
 271. *Pareptychia binocula binocula*
 (Butler, 1869)
 272. *P. interjecta hesionides* Forster, 1964
 273. *P. ocirrhoe* (Fabricius, 1776)
 274. *P. summandosa* (Gosse, 1880)
 275. *Paryphthimoides binalinea* (Butler, 1867)
 276. *Posttaygetis penelea penelea* (Cramer, 1777)
 277. *Rareptychia clio* (Weymer, 1911)
 278. *Splendeptychia boliviensis* Forster, 1964
 279. *S. furina* (Hewitson, 1862)
 280. *S. itonis* (Hewitson, 1862)
 281. *S. purusana* (Aurivillius, 1929)
 282. *S. triangula* (Aurivillius, 1929)
 283. *Splendeptychia* sp. n. 1
 284. *Splendeptychia* sp. n. 2
 285. *Splendeptychia* sp. n. 3
 286. *Splendeptychia* sp. n. 4
 287. *Yphthimoides mythra* (Weymer, 1911)
 288. *Zischkaia amalda* (Weymer, 1911)

APPENDIX 12

289. *Euptychia* "ordinata" (Weymer, 1911)
290. *Amphidecta calliomma* (C & R Felder, 1862)
291. *A. pigerator pigerator* Butler, 1867

Danainae

292. *Lycorea ilione phenarete* (Doubleday, 1847)
293. *L. halia pales* C & R Felder, 1862
294. *Danaus eresimus plexaure* (Godart, 1819)

Ithomiinae

295. *Athyrtis mechanitis salvini* Srnka, 1884
296. *Tithorea harmonia brunnea* Haensch, 1905
297. *Melinaea maelus lamasi* Brown, 1977
298. *M. marsaeus clara*
Rosenberg & Talbot, 1914
299. *M. menophilus orestes* Salvin, 1871
300. *Paititia neglecta* Lamas, 1979
301. *Thyridia psidii ino* C & R Felder, 1862
302. *Sais rosalia badia* Haensch, 1905
303. *Forbestra olivencia aeneola* Fox, 1967
304. *Mechanitis lysimnia meneclis*
Hewitson, 1860
305. *M. mazaesus mazaesus* Hewitson, 1860
306. *M. polymnia angustifascia* Talbot, 1928
307. *Scada reckia labyrinthia* Lamas, 1985
308. *Methona confusa psamathe*
Godman & Salvin, 1898
309. *M. curvifascia* Weymer, 1883
310. *Rhodussa cantobrica pamina*
(Haensch, 1905)
311. *Napeogenes aethra deucalion* Haensch, 1905
312. *N. inachia patientia* Lamas, 1985
313. *N. pharo pharo* (C & R Felder, 1862)
314. *Hypothyris euclea* ssp. n.
315. *Oleria didymaea didymaea* (Hewitson, 1876)
316. *O. onega lentita* Lamas, 1985
317. *O. ramona calatha* Lamas, 1985
318. *O. victorine victorine* (Guérin, 1844)
319. *Ithomia agnosia agnosia* Hewitson, 1855
320. *I. arduinna arduinna* d'Almeida, 1952
321. *I. lichyi neivai* d'Almeida, 1940
322. *I. salapia ardea* Hewitson, 1855
323. *Callithomia alexirrhoe thornax* Bates, 1862
324. *C. lenea zelie* (Guérin, 1844)

325. *Dircenna dero* ssp. n.
326. *D. loreta acreana* d'Almeida, 1950
327. *Ceratinia neso peruensis* (Haensch, 1905)
328. *C. tutia fuscens* (Haensch, 1905)
329. *Ceraticada hymen hymen* (Haensch, 1905)
330. *Episcada polita angelita* Lamas, 1985
331. *Pteronymia antisao guntheri* Lamas, 1985
332. *P. forsteri* Baumann, 1985
333. *Hypoleria virginia vitiosa* Lamas, 1985
334. "*Hypoleria*" *orolina arzalia*
(Hewitson, 1876)
335. *Pseudoscada timna* ssp. n.
336. *Heterosais nephele nephele* (Bates, 1862)

Libytheinae

337. *Libytheana carinenta carinenta*
(Cramer, 1777)

RIODINIDAE

338. *Euselasia ignita* Stichel, 1924
339. *E. euboea euboea* (Hewitson, 1853)
340. *E. pellonia* Stichel, 1919
341. *E. eumedia eumedia* (Hewitson, 1853)
342. *E. mirania* (Bates, 1868)
343. *E. toppini* Sharpe, 1915
344. *Euselasia* aff. *phelina* (Druce, 1878)
345. *E. eusepus* (Hewitson, 1853)
346. *E. nannothis* Stichel, 1924
347. *E. euryone euryone* (Hewitson, 1856)
348. *E. violetta* (Bates, 1868)
349. *E. arbas* ssp.
350. *E. praecipua* Stichel, 1924
351. *E. euoras* (Hewitson, 1855)
352. *E. eutyclus* (Hewitson, 1856)
353. *E. jugata* Stichel, 1919
354. *E. euodias euodias* (Hewitson, 1856)
355. *E. orba spectralis* Stichel, 1919
356. *E. issoria* (Hewitson, 1869)
357. *E. euriteus euriteus* (Cramer, 1777)
358. *E. eutaea eutaea* (Hewitson, 1853)
359. *E. zena* (Hewitson, 1860)
360. *E. opalina* (Westwood, 1851)
361. *E. praeclara* (Hewitson, 1869)
362. *E. melaphaea condensa* Stichel, 1927

363. *E. hygenius* group, sp. 1
 364. *E. hygenius* group, sp. 2
 365. *E. hygenius* group, sp. 3
 366. *E. hygenius* group, sp. 4
 367. *E. hygenius* group, sp. 5
 368. *E. cafusa janigena* Stichel, 1919
 369. *Euselasia* aff. *cafusa* (Bates, 1868)
 370. *E. crinon crinon* Stichel, 1919
 371. *Euselasia* sp. (*sergia rhodon* Seitz, 1917 ?)
 372. *E. julia* (Druce, 1878) (?)
 373. *E. labdacus reducta* Lathy, 1926
 374. *E. gelanor erilis* Stichel, 1919
 375. *E. murina* Stichel, 1925
 376. *E. teleclus* (Stoll, 1787)
 377. *Euselasia* sp., *midas* group
 378. *E. pelusia* Stichel, 1919
 379. *E. gordios* Stichel, 1919
 380. *E. eugeon* (Hewitson, 1856)
 381. *E. brevicauda* Lathy, 1926
 382. *E. uria angustifascia* Lathy, 1926
 383. *E. eubotes eubotes* (Hewitson, 1856)
 384. *E. angulata* (Bates, 1868)
 385. *E. utica euphaes* (Hewitson, 1855)
 386. *Euselasia* aff. *eubotes* Hewitson, 1856
 387. *Perophthalma tullius tullius* (Fabricius, 1787)
 388. *Mesophthalma idotea* ssp. (n.?)
 389. *Leucochimona hyphea pallida* (Lathy, 1932)
 390. *L. mathata chionea*
 (Godman & Salvin, 1885)
 391. *L. matisca* (Hewitson, 1860)
 392. *Semomesia capanea sodalis* Stichel, 1919
 393. *S. croesus siccata* Stichel, 1919
 394. *S. macaris* (Hewitson, 1859)
 395. *S. marisa marisa* (Hewitson, 1858)
 396. *S. tenella tenella* Stichel, 1910
 397. *Mesosemia* aff. *ephyne* (Cramer, 1776)
 398. *Mesosemia* aff. *metura* Hewitson, 1873
 399. *M. maeotis* Hewitson, 1859
 400. *M. calypso calypso* Bates, 1868
 401. *M. hesperina lycorias* Stichel, 1915
 402. *M. cippus* Hewitson, 1859
 403. *M. ibycus* Hewitson, 1859
 404. *M. luperca* Stichel, 1910
 405. *M. levis* Stichel, 1915
 406. *M. olivencia olivencia* Bates, 1868
 407. *M. philocles* ssp. n.
 408. *M. machaera machaera* Hewitson, 1860
 409. *M. thymetus umbrosa* Stichel, 1909
 410. *M. subtilis* Stichel, 1909
 411. *M. materna* Stichel, 1909
 412. *Mesosemia* aff. *materna* Stichel, 1909
 413. *M. naiadella naiadella* Stichel, 1909
 414. *M. nerine* Stichel, 1909
 415. *M. sirenia sirenia* Stichel, 1909
 416. *M. judicialis* Butler, 1874
 417. *Mesosemia* aff. *evias* Stichel, 1923
 418. *M. menoetes paetula* Stichel, 1915
 419. *M. ulrica ulrica* (Cramer, 1777)
 420. *M. decolorata* Lathy, 1932
 421. *Mesosemia* aff. *impedita* Stichel, 1909
 422. *Eurybia nicaea* ssp.
 423. *E. caerulescens caerulescens* Druce, 1904
 424. *E. dardus franciscana* C & R Felder, 1862
 425. *E. promota* Stichel, 1910
 426. *E. halimede halimede* (Hübner, 1807)
 427. *Alesa amesis* (Cramer, 1777)
 428. *A. hemiurga* Bates, 1867
 429. *Hyphilaria nicia* Hübner, 1819
 430. *H. parthenis tigrinella* Stichel, 1909
 431. *Napaea eucharila eucharila* (Bates, 1867)
 432. *N. melampia* ssp.
 433. *N. nepos nepos* (Fabricius, 1793)
 434. *Cremna actoris meleagris* Hopffer, 1874
 435. *C. thasus subrutila* Stichel, 1910
 436. *Eunogyra satyrus* Westwood, 1851
 437. *Lyropteryx apollonia apollonia*
 Westwood, 1851
 438. *Cyrenia martia martia* Westwood, 1851
 439. *Ancyluris meliboeus meliboeus*
 (Fabricius, 1776)
 440. *A. etias melior* Stichel, 1910
 441. *A. aulestes eryxo* (Saunders, 1859)
 442. *Rhetus arcus huanus* (Saunders, 1859)
 443. *R. periander laonome* (Morisse, 1838)

(SR) Sight record only

APPENDIX 12

444. *Ithomeis lauronia* Schaus, 1902
445. *Isapis agyrtus sestus* (Stichel, 1909)
446. *Themone pais* ssp. n.
447. *Notheme erota diadema* Stichel, 1910
448. *Monethe albertus albertus*
C & R Felder, 1862
449. *Metacharis lucius* (Fabricius, 1793)
450. *M. regalis regalis* Butler, 1867
451. *Cariomothis erythromelas fulvus* Lathy, 1932
452. *Pheles heliconides rufotincta* Bates, 1868
453. *Chamaelimnas tircis iaeris* Bates, 1868
454. *C. urbana* Stichel, 1916
455. *Parcella amarynthina* (C & R Felder, 1865)
456. *Charis anius* (Cramer, 1776)
457. *Charis* sp. n.
458. *C. gynaea zama* Bates, 1868
459. *Chalodeta theodora theodora*
(C & R Felder, 1862)
460. *C. lypera* (Bates, 1868)
459. *C. chaonitis* (Hewitson, 1866)
462. *Caria mantinea amazonica* (Bates, 1868)
463. *C. trochilus arete* (C & R Felder, 1861)
464. *Comphotis drepana* (Bates, 1868)
465. *Crocozona coecias coecias* (Hewitson, 1866)
466. *Baeotis bacaenis bacaenita* Schaus, 1902
467. *Lasaia agesilas agesilas* (Latreille, 1809)
468. *L. arsis* Staudinger, 1887
469. *L. pseudomeris* Clench, 1972
470. *Amarynthis meneria* (Cramer, 1776)
471. *Exoplisia cadmeis* (Hewitson, 1866)
472. *Riodina lysippus lysias* Stichel, 1910
473. *Melanis xarifa quadripunctata* (Stichel, 1910)
474. *M. marathon stenotaenia* (Röber, 1904)
475. *Mesene leucophrys* Bates, 1868
476. *M. martha martha* Schaus, 1902
477. *M. epaphus sertata* Stichel, 1910
478. *M. nola eupteryx* Bates, 1868
479. *M. pyrrrha* Bates, 1868
480. *Mesene* sp.
481. *M. monostigma* (Erichson, 1848) (?)
482. *Esthemopsis celina* Bates, 1868
483. *Symmachia* sp. 1
(?*cleonyma* Hewitson, 1870)
484. *Symmachia* sp. 2 (?*probetor* Cramer, 1782)
485. *S. tricolor tricolor* Hewitson, 1867
486. *S. asclepia asclepia* Hewitson, 1870
487. *Phaenochitonias sophistes* (Bates, 1868)
488. *Sarota acantus* (Cramer, 1781)
489. *Sarota* sp. nr. *acantus* (Cramer, 1781)
490. *Sarota* aff. *myrtea* Godman & Salvin, 1886
491. *S. chrysus chrysus* (Cramer, 1781)
492. *Anteros formosus formosus* (Cramer, 1777)
493. *A. acheus troas* Stichel, 1909
494. *A. renaldus renaldus* (Stoll, 1791)
495. *Anteros* sp. n. 1 (*aerosus* Stichel, 1924?)
496. *Anteros* sp. n. 2
497. *Calydna punctata* C & R Felder, 1861
498. *C. catana* Hewitson, 1859
499. *C. maculosa* Bates, 1868
500. *C. euthria* Westwood, 1851
501. *Emesis castigata castigata* Stichel, 1910
502. *E. mandana mandana* (Cramer, 1780)
503. *E. fatimella fatimella* Westwood, 1851
504. *E. ocy pore ocy pore* (Geyer, 1837)
505. *E. cerea* (Linnaeus, 1767)
506. *E. temesa emesina* (Staudinger, 1887)
507. *Argyrogrammana occidentalis placibilis*
(Stichel, 1910)
508. *A. physis phyton* (Stichel, 1911)
509. *A. praestigiosa* (Stichel, 1929) (?)
510. *A. trochilia rameli* (Stichel, 1930)
511. *Pachythone xanthe* Bates, 1868
512. *Callistium cleadas* (Hewitson, 1866)
513. *Uraneis hyalina* (Butler, 1867)
514. *Juditha azan* ssp. n.
515. *J. molpe molpe* (Hübner, 1808)
516. *Synargis orestessa* (Hübner, 1819)
517. *S. abaris* (Cramer, 1776)
518. *S. phylleus orontes* (Stichel, 1923)
519. *S. calyce calyce* (C & R Felder, 1862)
520. *S. gela gela* (Hewitson, 1853)
521. *S. agle* (Hewitson, 1853)
522. *S. ochra ochra* (Bates, 1868)
523. *S. regulus regulus* (Fabricius, 1793)
524. *Mycastor nealces* ssp. n.
525. *Parnes nycteis* Westwood, 1851

526. *P. philotes* Westwood, 1851
 527. *Pandemos pasiphae* (Cramer, 1775)
 528. *Calospila lucianus lucianus* (Fabricius, 1793)
 529. *C. emylius emyliana* (Stichel, 1911)
 530. *C. rhodope amphis* (Hewitson, 1870)
 531. *C. parthaon* (Dalman, 1823)
 532. *C. gyges* ssp.
 533. *C. zeanger zeanger* (Stoll, 1790)
 534. *C. rhesa* ssp.
 535. *C. cerealis cerealis* (Hewitson, 1863)
 536. *Adelotypa aristus* ssp.
 537. *Adelotypa* aff. *aristus* (Stoll, 1790)
 538. *A. huebneri pauxilla* (Stichel, 1911)
 539. *A. mollis asemna* (Stichel, 1910)
 540. *A. leucocycana* (Geyer, 1837)
 541. *A. epixanthe* (Stichel, 1911)
 542. *A. aminias aminias* (Hewitson, 1863)
 543. *A. balista balista* (Hewitson, 1863)
 544. *A. annulifera* (Godman, 1903)
 545. "*Adelotypa*" *lampros* (Bates, 1868)
 546. *Setabis epitus epiphanis* Stichel, 1910
 547. *S. velutina* (Butler, 1867)
 548. *S. lagus* group, sp. 1 (*pythioides*?)
 549. *S. lagus* group, sp. 2
 550. *S. lagus* group, sp. 3
 551. *S. heliodora* (Staudinger, 1887)
 552. *S. cruentata* (Butler, 1867)
 553. *S. flammula* (Bates, 1868)
 554. *Theope eudocia eudocia* Westwood, 1851
 555. *Theope* sp. nr. *hypoleuca*
 Bates, 1868 (*foliorum*?)
 556. *T. pedias pedias* Herrich-Schäffer, 1853
 557. *T. sericea* Bates, 1868
 558. *T. excelsa* Bates, 1868
 559. *T. mundula* Stichel, 1926
 560. *Theope* aff. *thootes* Hewitson, 1860
 561. *Theope* aff. *thebais* ssp.
 562. *Theope* aff. *thestias* Hewitson, 1860 (*discus*?)
 563. *Nymphidium mantus* (Cramer, 1775)
 564. *N. fulminans fulminans* Bates, 1868
 565. *N. baeotia* Hewitson, 1853
 566. *N. minuta* Druce, 1904
 567. *N. azanoides amazonensis* Callaghan, 1986
 568. *N. omois* Hewitson, 1865
 569. *N. ascolia augea* Druce, 1904
 570. *N. leucosia medusa* Druce, 1904
 571. *N. acherois erymanthus* Ménétrières, 1855
 572. *N. caricae parthenium* Stichel, 1924
 573. *N. lisimon lisimon* (Stoll, 1790)
 574. *N. hesperinum* Stichel, 1911
 575. *Stalactis calliope* ssp. n.
 576. *S. phaedusa duvalii* (Perty, 1833)

(SR) Sight record only

LYCAENIDAE

577. *Hemiargus hanno* ssp.
 578. *Mithras nautes* (Cramer, 1779)
 579. "*Thecla*" nr. *orobia* (Hewitson, 1867)
 580. "*Thecla*" *cosmophila* (Tessmann, 1928)
 581. "*Thecla*" *maculata* (Lathy, 1936)
 582. *Thestius meridionalis* (Draudt, 1921)
 583. "*Thecla*" *ematheon* (Cramer, 1777)
 584. *Evenus regalis* (Cramer, 1775)
 585. *E. gabriela* (Cramer, 1775)
 586. *E. batesii* (Hewitson, 1865)
 587. *E. floralia* (Druce, 1907)
 588. *E. satyroides* (Hewitson, 1865)
 589. "*Thecla*" *falerina* (Hewitson, 1867)
 590. "*Thecla*" *myrtea* (Hewitson, 1867)
 591. "*Thecla*" *myrtusa* (Hewitson, 1867)
 592. *Arcas actaeon* (Fabricius, 1775)
 593. *A. tuneta* (Hewitson, 1865)
 594. *Theritas mavors* Hübner, 1818
 595. *Denivia acontius* (Goodson, 1945)
 596. *D. phegeus* (Hewitson, 1865)
 597. *D. viresco* (Druce, 1907)
 598. *D. hemon* (Cramer, 1775)
 599. *Denivia* nr. *lisus* (Stoll, 1790)
 600. *Paiwarria telemus* (Cramer, 1775)
 601. "*Thecla*" *ligurina* (Hewitson, 1874)
 602. "*Thecla*" *ergina* (Hewitson, 1867)
 603. *Thereus buris* (Druce, 1907)
 604. *T. columbicola* (Strand, 1916)
 605. *Arawacus separata* (Lathy, 1926)
 606. *Rekoa palegon* (Cramer, 1780)
 607. *Ocaria ocrisia* (Hewitson, 1868)
 608. *Chlorostrymon telea* (Hewitson, 1868)

APPENDIX 12

609. *Panhiades bitias* (Cramer, 1777)
 610. *P. aeolus* (Fabricius, 1775)
 611. *P. boreas* (C & R Felder, 1865)
 612. *P. bathildis* (C & R Felder, 1865)
 613. *P. phaleros* (Linnaeus, 1767)
 614. "*Thecla*" *gemma* (Druce, 1907)
 615. "*Thecla*" *minyia* (Hewitson, 1867)
 616. *Parrhasius polibetes* (Cramer, 1781)
 617. *P. orgia* (Hewitson, 1867)
 618. *Michaelus ira* (Hewitson, 1867)
 619. *M. vibidia* (Hewitson, 1869)
 620. *M. thordesa* (Hewitson, 1867)
 621. "*Thecla*" *nr. gadira* (Hewitson, 1867)
 622. "*Thecla*" *norax* (Godman & Salvin, 1887)
 623. *Olyntus nr. stigmatos* (Druce, 1890)
 624. *O. essus* (Herrich-Schäffer, 1853)
 625. *O. lorea* (Möschler, 1883)
 626. *O. punctum* (Herrich-Schäffer, 1853)
 627. *O. avoca* (Hewitson, 1867)
 628. *Oenomaus atena* (Hewitson, 1867)
 629. *Oenomaus nr. atena* (Hewitson, 1867) 1
 630. *Oenomaus nr. atena* (Hewitson, 1867) 2
 631. *Oenomaus nr. melleus* (Druce, 1907)
 632. *Strymon daraba* (Hewitson, 1867)
 633. *S. cestri* (Reakirt, 1867)
 634. *S. ziba* (Hewitson, 1868)
 635. *Lamprospilus orcidia* (Hewitson, 1874)
 636. *L. aunus* (Cramer, 1775)
 637. *L. genius* Geyer, 1832
 638. *Lamprospilus nr. nisaeae*
 (Godman & Salvin, 1887)
 639. *L. lanckena* (Schaus, 1902)
 640. "*Thecla*" *taminella* (Schaus, 1902)
 641. "*Thecla*" *nr. galliena* (Hewitson, 1877)
 642. "*Thecla*" *aruma* (Hewitson, 1877)
 643. "*Thecla*" *syllis* (Godman & Salvin, 1887)
 644. "*Thecla*" *hesperitis* (Butler & Druce, 1872)
 645. "*Thecla*" *ceromia* (Hewitson, 1877)
 646. "*Thecla*" *nr. ceromia* (Hewitson, 1877)
 647. "*Thecla*" *vesper* (Druce, 1909)
 648. "*Thecla*" *verbenaca* (Druce, 1907)
 (female only)
649. *Symbiopsis "peruviana"*
 (Lathy, 1936) - homonym
 650. *Calycopis calus* (Godart, 1824)
 651. *C. buphonia* (Hewitson, 1868)
 652. *C. demonassa* (Hewitson, 1868)
 653. *C. mimas* (Godman & Salvin, 1887)
 654. *C. atnius* (Herrich-Schäffer, 1853)
 655. *C. nicolayi* Field, 1967
 656. *C. devia* (Möschler, 1883)
 657. *C. vibulena* (Hewitson, 1877)
 658. *C. vitruvia* (Hewitson, 1877)
 659. *C. bellera* (Hewitson, 1877)
 660. *C. anfracta* (Druce, 1907)
 661. *C. anastasia* Field, 1967
 662. *C. fractunda* Field, 1967
 663. *C. centoripa* (Hewitson, 1868)
 664. *C. caesaries* (Druce, 1907)
 665. *C. cerata* (Hewitson, 1877)
 666. *Calycopis nr. tifla* (Field, 1967)
 667. *C. trebula* (Hewitson, 1868)
 668. *Calycopis nr. vidulus* (Druce, 1907)
 669. *C. orcillula* (Strand, 1916)
 670. *C. atrox* (Butler, 1877)
 671. *C. blora* (Field, 1967)
 672. *Calycopis nr. naka* (Field, 1967)
 673. *C. malta* (Schaus, 1902)
 674. *C. anapa* (Field, 1967)
 675. *Calycopis nr. barza* (Field, 1967)
 676. *Tmolus echion* (Linnaeus, 1767)
 677. *T. cydrara* (Hewitson, 1868)
 678. *Tmolus nr. cydrara* (Hewitson, 1868)
 679. *Tmolus nr. ufentina* (Hewitson, 1868)
 680. *T. ufentina* (Hewitson, 1868)
 681. *T. mutina* (Hewitson, 1867)
 682. "*Thecla*" *gargophia* (Hewitson, 1877)
 683. "*Thecla*" *nr. viceta* (Hewitson, 1868) 1
 684. "*Thecla*" *nr. viceta* (Hewitson, 1868) 2
 685. "*Thecla*" *emessa* (Hewitson, 1867)
 686. "*Thecla*" *nr. tympania* (Hewitson, 1869) 1
 687. "*Thecla*" *nr. tympania* (Hewitson, 1869) 2
 688. "*Thecla*" *nr. tympania* (Hewitson, 1869) 3
 689. "*Thecla*" *tympania* (Hewitson, 1869)
 690. "*Thecla*" *tarena* (Hewitson, 1874)

691. *Siderus leucophaeus* (Hübner, 1813)
 692. *S. parvinotus* Kaye, 1904
 693. *Siderus* nr. *eliatha* (Hewitson, 1867)
 694. *S. athymbra* (Hewitson, 1867)
 695. *S. metanira* (Hewitson, 1867)
 696. *S. philinna* (Hewitson, 1868)
 697. “*Thecla*” *splendor* (Johnson, 1991)
 698. *Theclopsis lydus* (Hübner, 1819)
 699. *T. gargara* (Hewitson, 1868)
 700. “*Thecla*” *tephraeus* (Geyer, 1837)
 701. “*Thecla*” nr. *tephraeus* (Geyer, 1837)
 702. “*Thecla*” *sphinx* (Fabricius, 1775)
 703. “*Thecla*” *phoster* (Druce, 1907)
 704. “*Thecla*” *pulchritudo* (Druce, 1907)
 705. “*Thecla*” *strephon* (Fabricius, 1775)
 706. “*Thecla*” nr. *strephon* (Fabricius, 1775)
 707. “*Thecla*” *parvipuncta* (Lathy, 1926)
 708. “*Thecla*” *agrippa* (Fabricius, 1793)
 709. “*Thecla*” *carteia* (Hewitson, 1870)
 710. “*Thecla*” nr. *carteia* (Hewitson, 1870)
 711. “*Thecla*” *tyriam* (Druce, 1907)
 712. “*Thecla*” nr. *tyriam* (Druce, 1907)
 713. “*Thecla*” *syedra* (Hewitson, 1867)
 714. “*Thecla*” nr. *syedra* (Hewitson, 1867)
 715. “*Thecla*” *occidentalis* (Lathy, 1926)
 716. *Ministrymon megacles* (Cramer, 1780)
 717. *M. zilda* (Hewitson, 1873)
 718. *M. cruenta* (Gosse, 1880)
 719. *Ministrymon* nr. *cruenta* (Gosse, 1880)
 720. “*Thecla*” *terentia* (Hewitson, 1868)
 721. *Aubergina alda* (Hewitson, 1868)
 722. *Janthecla rocena* (Hewitson, 1867)
 723. *J. malvina* (Hewitson, 1867)
 724. *J. leea* Venables & Robbins, 1991
 725. *J. sista* (Hewitson, 1867)
 726. *Hypostrymon asa* (Hewitson, 1873)
 727. *Iaspis verania* (Hewitson, 1868)
 728. *I. castitas* (Druce, 1907)
 729. *Iaspis* nr. *castitas* (Druce, 1907)
 730. *I. temesa* (Hewitson, 1868)
 731. “*Thecla*” *picus* (Druce, 1907)
 732. *Brangas getus* (Fabricius, 1787)
 733. “*Thecla*” *cupentus* (Cramer, 1781)

734. *Trichonis immaculata* Lathy, 1930
 735. “*Thecla*” *biston* (Möschler, 1877)
 736. “*Thecla*” *bactriana* (Hewitson, 1868)
 737. *Nesiostrymon celona* (Hewitson, 1874)
 738. *Erora phrosine* (Druce, 1909)
 739. *Chalybs hassan* (Stoll, 1790)
 740. “*Thecla*” *tema* (Hewitson, 1867)
 741. *Caerofethra carnica* (Hewitson, 1873)
 742. *Celmia celmus* (Cramer, 1775)
 743. “*Thecla*” *color* (Druce, 1907)
 744. “*Thecla*” *mecrida* (Hewitson, 1867)
 745. “*Thecla*” *conoveria* (Schaus, 1902)
 746. “*Thecla*” *ceglusa* (Hewitson, 1868)

PIERIDAE

Dismorphiinae

747. *Pseudopieris nehemia melania* Lamas, 1985
 748. *Dismorphia theucharila argochloe*
 (Bates, 1861)
 749. *Enantia lina galanthis* (Bates, 1861)
 750. *E. melite linealis* (Prüffer, 1922)

Coliadinae

751. *Anteos menippe* (Hübner, 1818)
 752. *Aphrissa fluminensis* (d'Almeida, 1921)
 753. *A. statira statira* (Cramer, 1777)
 754. *Phoebis argante larra* (Fabricius, 1798)
 755. *P. philea philea* (Linnaeus, 1763)
 756. *P. sennae marcellina* (Cramer, 1777) (SR)
 757. *Rhabdodryas trite trite* (Linnaeus, 1758)
 758. *Eurema agave agave* (Cramer, 1775)
 759. *E. albula espinosae* (Fernández, 1928)
 760. *E. elathea obsoleta* (Jørgensen, 1932)
 761. *E. paulina* (Bates, 1861)
 762. *Pyrisitia leuce flavilla* (Bates, 1861)
 763. *P. nise* ssp. n.

Pierinae

764. *Hesperocharis emeris aida* Fruhstorfer, 1908
 765. *Glutophrissa drusilla drusilla* (Cramer, 1777)
 766. *Ascia monuste automate* (Burmeister, 1878)
 767. *Ganyra phaloe sublineata* (Schaus, 1902)
 768. *Itaballia demophile lucania*
 (Fruhstorfer, 1907)

 (SR) Sight record only

APPENDIX 12

769. *I. pandosia pisonis* (Hewitson, 1861)
770. *Pieriballia viardi rubecula*
(Fruhstorfer, 1907)
771. *Melete lycimnia peruviana* (Lucas, 1852)
772. *Perrhybris pamela mazuka* Lamas, 1981

PAPILIONIDAE

Papilioninae

773. *Protographium agesilaus autosilaus*
(Bates, 1861)
774. *Eurytides dolicaon deileon*
(C & R Felder, 1865)
775. *Protesilaus glaucolaus leucas*
(Rothschild & Jordan, 1906)
776. *P. molops hetaerius*
(Rothschild & Jordan, 1906)
777. *P. telesilaus telesilaus* (C & R Felder, 1864)
778. *Mimoides ariarathes gayi* (Lucas, 1852)
779. *M. pausanias pausanias* (Hewitson, 1852)
780. *M. xynias xynias* (Hewitson, 1875)
781. *Battus belus belus* (Cramer, 1777)
782. *B. crassus* (Cramer, 1777)
783. *B. lycidas* (Cramer, 1777)
784. *B. polydamas polydamas* (Linnaeus, 1758)
785. *Parides aeneas lamasi* Racheli, 1988
786. *P. anchises drucei* (Butler, 1874)
787. *P. lysander brissonius* (Hübner, 1819)
788. *P. neophilus olivencius* (Bates, 1861)
789. *P. pizarro kuhlmanni* (May, 1925)
790. *P. sesostris sesostris* (Cramer, 1779)
791. *P. vertumnus astorius* (Zikán, 1940)
792. *Heraclides anchisiades anchisiades*
(Esper, 1788)
793. *H. androgeus androgeus* (Cramer, 1775)
794. *H. chiansiades chiansiades*
(Westwood, 1872)
795. *H. hyppason* (Cramer, 1775)
796. *H. thoas cinyras* (Ménétrières, 1857)
797. *H. torquatus torquatus* (Cramer, 1777)

HESPERIIDAE

Pyrrhopyginae

798. *Pyrrhopyge phidias bixae* (Linnaeus, 1758)
799. *P. aziza attis* Bell, 1931
800. *P. proculus draudti* Bell, 1931
801. *P. thericles rileyi* Bell, 1931
802. *P. amythaon perula* Evans, 1951
803. *P. sergius josephina* Draudt, 1921
804. *P. cometes* ssp. n.
805. *P. thelorsa* Hewitson, 1866
806. *Elbella intersecta intersecta*
(Herrich-Schäffer, 1869)
807. *E. merops* (Bell, 1934)
808. *E. patrobas* ssp. n.
809. *E. blanda* Evans, 1951
810. *E. azeta azeta* (Hewitson, 1866)
811. *Elbella* sp. n.
812. *Nosphistia zonara* (Hewitson, 1866)
813. *Jemadia hospita hospita* (Butler, 1877)
814. *J. hewitsonii hewitsonii* (Mabille, 1878)
815. *J. gnetus* (Fabricius, 1782)
816. *Mysoria sejanus* ssp. n.
817. *Myscelus nobilis* (Cramer, 1777)
818. *M. amystis mysus* Evans, 1951
819. *M. pardalina pardalina*
(C. & R. Felder, 1867)
820. *Passova ganymedes gelina* Evans, 1951
821. *P. passova styx* (Möschler, 1879)
822. *Aspitha agenoria sanies* (Druce, 1908)
823. *Oxynetra confusa* Staudinger, 1888

Pyrginae

824. *Phocides distans distans*
(Herrich-Schäffer, 1869)
825. *P. metrodorus metrodorus* Bell, 1932
826. *P. vulcanides* Röber, 1925
827. *P. novalis* Evans, 1952
828. *P. padrona* Evans, 1952
829. *P. pigmalion hewitsonius* (Mabille, 1883)
830. *Tarsoctenus papias* (Hewitson, 1859)
831. *T. corytus corba* Evans, 1952
832. *T. praecia plutia* (Hewitson, 1857)
833. *Phanus vitreus* (Cramer, 1781)

834. *P. ecitonorum* Austin, 1993
835. *P. marshalli* (Kirby, 1880)
836. *Udranomia kikkawai* (Weeks, 1906)
837. *Drephalys dumeril* (Latreille, 1824)
838. *D. oriander oriander* (Hewitson, 1867)
839. *D. olvina* Evans, 1952
840. *D. alcmon* (Cramer, 1779)
841. *D. hypargus* (Mabille, 1891)
842. *Augiades criniscus* (Cramer, 1780)
843. *Hyalothyryus leucomelas* (Geyer, 1832)
844. *Phareas coeleste* Westwood, 1852
845. *Entheus eumelus ninyas* Druce, 1912
846. *E. gentius* (Cramer, 1777)
847. *E. priassus telemus* Mabille, 1898
848. *Proteides mercurius mercurius*
(Fabricius, 1787)
849. *Epargyreus socus sinus* Evans, 1952
850. *E. exadeus exadeus* (Cramer, 1779)
851. *E. clavicornis clavicornis*
(Herrich-Schäffer, 1869)
852. *Polygonus manueli manueli*
Bell & Comstock, 1948
853. *Chioides catillus catillus* (Cramer, 1779)
854. *Aguna* sp. n.
855. *A. aurunce* (Hewitson, 1867) (?)
856. *A. coelus* (Cramer, 1782) (?)
857. *Polythrix octomaculata octomaculata*
(Sepp, 1844)
858. *P. minvanes* (Williams, 1926)
859. *P. auginus* (Hewitson, 1867) (?)
860. *P. metallescens* (Mabille, 1888)
861. *P. eudoxus* (Cramer, 1781)
862. *Heronia labriaris* (Butler, 1877)
863. *Chrysoplectrum pervivax* (Hübner, 1819)
864. *C. perniciosus perniciosus*
(Herrich-Schäffer, 1869)
865. *Codatractus* sp. n.
866. *Urbanus pronta* Evans, 1952
867. *U. esmeraldus* (Butler, 1877)
868. *U. velinus* (Plötz, 1880)
869. *U. dorantes dorantes* (Stoll, 1790)
870. *U. teleus* (Hübner, 1821)
871. *U. simplicius* (Stoll, 1790)
872. *U. reductus* (Riley, 1919)
873. *U. doryssus doryssus* (Swainson, 1831)
874. *U. albimargo takuta* Evans, 1952
875. *U. virescens* (Mabille, 1877)
876. *U. chalco* (Hübner, 1823)
877. *Cephise cephise* (Herrich-Schäffer, 1869) (?)
878. *Astrartes talus* (Cramer, 1777)
879. *A. fulgurator fulgurator* (Walch, 1775)
880. *A. halesius* (Hewitson, 1877)
881. *A. apastus apastus* (Cramer, 1777)
882. *A. aulus* (Plötz, 1881)
883. *A. enotrus* (Cramer, 1782)
884. *A. janeira* (Schaus, 1902)
885. *A. alector hopfferi* (Plötz, 1882)
886. *A. cretatus cretatus* (Hayward, 1939)
887. *A. creteus creteus* (Cramer, 1780)
888. *A. chiriquensis* ssp. n.
889. *Narcosius narcosius narcosius* (Stoll, 1790)
890. *N. mura* (Williams, 1927)
891. *Calliades zeutus* (Möschler, 1879)
892. *Autochton neis* (Geyer, 1832)
893. *A. longipennis* (Plötz, 1882)
894. *A. zarex* (Hübner, 1818)
895. *Venada advena* (Mabille, 1889)
896. *Bungalotis astylos* (Cramer, 1780)
897. *B. borax lactos* Evans, 1952
898. *Salatis salatis* (Cramer, 1782)
899. *Sarmientoia eriopis* (Hewitson, 1867)
900. *Dyscophellus nicephorus* (Hewitson, 1876)
901. *D. euribates euribates* (Cramer, 1782)
902. *D. sebalus* (Cramer, 1781)
903. *D. erythras* (Mabille, 1888)
904. *D. ramusis ramusis* (Cramer, 1781)
905. *Nascus phintias* Schaus, 1913
906. *N. solon solon* (Plötz, 1882)
907. *N. paullinae* (Sepp, 1842)
908. *Porphyrogenes zohra stresa* Evans, 1952
909. *Oileides azines* (Hewitson, 1867)
910. *Celaenorrhinus shema shema*
(Hewitson, 1877)
911. *C. disjunctus* Bell, 1940
912. *Celaenorrhinus* sp. (*similis* group)
913. *C. syllius* (C & R Felder, 1862)

(SR) Sight record only

APPENDIX 12

914. *C. jao* (Mabille, 1889)
915. *Marela tamyris tamyris* Mabille, 1903
916. *Telemiades delalande* (Latreille, 1824)
917. *T. trenda* Evans, 1953
918. *T. epicalus epicalus* Hübner, 1819
919. *T. penidas* (Hewitson, 1867)
920. *T. avitus* (Cramer, 1781)
921. *T. antiope toska* Evans, 1953
922. *T. amphion misitheus* Mabille, 1888
923. *Eracon paulinus* (Cramer, 1782)
924. *E. onoribo* (Möschler, 1883)
925. *Spioniades artemides* (Cramer, 1782)
926. *S. libethra* (Hewitson, 1868)
927. *Mictris crispus* (Herrich-Schäffer, 1870)
928. *Iliana heros heros* (Mabille & Boulet, 1917)
929. *Sophista aristoteles aristoteles*
(Westwood, 1852)
930. *Polyctor polyctor polyctor* (Prittowitz, 1868)
931. *Nisoniades bessus* (Möschler, 1877)
932. *N. mimas* (Cramer, 1775)
933. *N. evansi* Steinhauser, 1989
934. *N. brunneata* (Williams & Bell, 1939)
935. *N. macarius* Herrich-Schäffer, 1870
936. *Pachyneuria lineatopunctata lineatopunctata*
(Mabille & Boulet, 1917)
937. *P. duidae duidae* (Bell, 1932)
938. *P. herophile* (Hayward, 1940)
939. *Pellicia klugi* Williams & Bell, 1939
940. *P. santana* Williams & Bell, 1939
941. *P. costimacula costimacula*
Herrich-Schäffer, 1870
942. *P. trax* Evans, 1955
943. *Morvina fissimacula rema* Evans, 1953
944. *Cyclosemia earina* (Hewitson, 1878)
945. *C. herennius elelea* (Hewitson, 1878)
946. *Gorgopas trochilus* (Hopffer, 1874)
947. *Viola olla* Evans, 1953
948. *Bolla mancoi* (Lindsey, 1925)
949. *B. cupreiceps* (Mabille, 1891)
950. *B. morona morona* (Bell, 1940)
951. *Staphylus chlora* Evans, 1953
952. *S. putumayo* (Bell, 1937)
953. *S. lizeri lizeri* (Hayward, 1938)
954. *S. corumba* (Williams & Bell, 1940)
955. *S. oeta* (Plötz, 1884)
956. *S. astra* (Williams & Bell, 1940)
957. *Plumbago plumbago* (Plötz, 1884)
958. *Gorgythion begga pyralina* (Möschler, 1877)
959. *G. beggina escalophoides* Evans, 1953
960. *Ouleus juxta juxta* (Bell, 1934)
961. *O. fridericus fridericus* (Geyer, 1832)
962. *O. accedens noctis* (Lindsey, 1925)
963. *Quadrus cerialis* (Cramer, 1782)
964. *Q. contubernalis contubernalis*
(Mabille, 1883)
965. *Q. deyrollei porta* Evans, 1953
966. *Gindanes brebisson phagesia*
(Hewitson, 1868)
967. *Pythonides jovianus fabricii* Kirby, 1871
968. *P. lerina* (Hewitson, 1868)
969. *P. grandis assecla* Mabille, 1883
970. *P. herennius herennius* Geyer, 1838
971. *P. braga* Evans, 1953
972. *P. maraca* ssp. n.
973. *Sostrata festiva* (Erichson, 1848)
974. *S. pusilla pusilla* Godman & Salvin, 1895
975. *Paches trifasciatus* Lindsey, 1925
976. *Haemactis sanguinalis* (Westwood, 1852)
977. *Milanion hemes* ssp.
978. *M. hemestinus* Mabille & Boulet, 1917
979. *M. pilumnus pilumnus*
Mabille & Boulet, 1917
980. *Charidia lucaria lucaria* (Hewitson, 1868)
981. *Mylon ander ander* Evans, 1953
982. *M. menippus* (Fabricius, 1776)
983. *M. pelopidas* (Fabricius, 1793)
984. *M. jason* (Ehrmann, 1907)
985. *Carrhenes fuscescens conia* Evans, 1953
986. *C. canescens leada* (Butler, 1870)
987. *C. santes* Bell, 1940
988. *Clito clito* (Fabricius, 1787)
989. *Xenophanes tryxus* (Cramer, 1780)
990. *Antigonus nearchus* (Latreille, 1817)
991. *A. erosus* (Hübner, 1812)
992. *A. decens* Butler, 1874

993. *Anisochoria pedalioidina pedalioidina* (Butler, 1870)
994. *Aethilla echina echina* Hewitson, 1870
995. *Achlyodes busirus heros* Ehrmann, 1909
996. *A. mithridates thraso* (Hübner, 1807)
997. *Anastrus sempiternus simplicior* (Möschler, 1877)
998. *A. tolimus robigus* (Plötz, 1884)
999. *A. petius petius* (Möschler, 1877)
1000. *A. obliqua* (Plötz, 1884)
1001. *A. meliboea bacra* Evans, 1953
1002. *A. obscurus narva* Evans, 1953
1003. *Ebrietas infanda* (Butler, 1877)
1004. *E. anacreon anacreon* (Staudinger, 1876)
1005. *E. evanidus* Mabille, 1898
1006. *Cycloglypha thrasibulus thrasibulus* (Fabricius, 1793)
1007. *C. tisas* (Godman & Salvin, 1896)
1008. *Helias phalaenoides phalaenoides* (Hübner, 1812)
1009. *Camptopleura theramenes* Mabille, 1877
1010. *C. auxo* (Möschler, 1879)
1011. *C. impressus* (Mabille, 1889)
1012. *Chiomara mithrax* (Möschler, 1879)
1013. *Pyrgus oileus orcus* (Cramer, 1780)
1014. *Heliopetes alana* (Reakirt, 1868)
-
- Hesperinae**
-
1015. *Synapte silius* (Latreille, 1824)
1016. *Lento* sp. n. 1
1017. *L. ferrago* (Plötz, 1884)
1018. *L. lucto* Evans, 1955
1019. *L. imerius* (Plötz, 1884)
1020. *L. lora* Evans, 1955
1021. *Lento* sp. n. 2
1022. *Anthoptus epictetus* (Fabricius, 1793)
1023. *A. insignis* (Plötz, 1882)
1024. *Corticea* sp. (n.?)
1025. *C. corticea* (Plötz, 1882)
1026. *Cantha zara* (Bell, 1941)
1027. *C. calva* Evans, 1955
1028. *Vinius sagitta* (Mabille, 1889)
1029. *V. tryhana tryhana* (Kaye, 1914)
1030. *Pheraeus maria* Steinhauser, 1991
1031. *Pheraeus* sp. n. 1
1032. *Pheraeus* sp. n. 2
1033. *Misius misius* (Mabille, 1891)
1034. *Molo mango* (Guenée, 1865)
1035. *M. calcarea* ssp. n.
1036. *Callimormus radiola radiola* (Mabille, 1878)
1037. *Radiatus bradus* Mielke, 1968
1038. *Eutocus matildae vinda* Evans, 1955
1039. *E. quichua* Lindsey, 1925
1040. *Virga virginus* (Möschler, 1883)
1041. *V. phola* Evans, 1955 (?)
1042. *Ludens silvaticus* (Hayward, 1940)
1043. *Methionopsis ina* (Plötz, 1882)
1044. *M. dolor* Evans, 1955
1045. *Sodalia sodalis* (Butler, 1877)
1046. *Artines aepitus* (Geyer, 1832)
1047. *A. focus* Evans, 1955
1048. *A. trogon* Evans, 1955
1049. *Artines* sp. n.
1050. *Flaccilla aecae* (Cramer, 1781)
1051. *Mnaseas bicolor inca* Bell, 1930
1052. *Gallio* sp. n.
1053. *Thargella caura caura* (Plötz, 1882)
1054. *Venas evans* (Butler, 1877)
1055. *V. caeruleans* (Mabille, 1878)
1056. *Phanes aletes* (Geyer, 1832)
1057. *P. almoda* (Hewitson, 1866)
1058. *Vidius* sp. n.
1059. *Nastra guianae* (Lindsey, 1925)
1060. *Cymaenes tripunctus theogenis* (Capronnier, 1874)
1061. *C. hazarma* (Hewitson, 1877)
1062. *C. cavalla* Evans, 1955
1063. *C. uruba taberi* (Weeks, 1901)
1064. *Vehilius stictomenes stictomenes* (Butler, 1877)
1065. *V. inca* (Scudder, 1872)
1066. *V. almoneus* (Schaus, 1902)
1067. *V. vetulus* (Mabille, 1878)
1068. *V. putus* Bell, 1941
1069. *Vehilius madius* ssp. n.
1070. *Mnasilus allubita* (Butler, 1877)
1071. *Mnasitheus chrysophrys* (Mabille, 1891)

APPENDIX 12

1072. *M. forma* Evans, 1955
 1073. *M. nitra* Evans, 1955
 1074. *Remella remus* (Fabricius, 1798)
 1075. *Moeris submetallescens* ssp. n.
 1076. *Parphorus storax storax* (Mabille, 1891)
 1077. *P. decora* (Herrich-Schäffer, 1869)
 1078. *Parphorus* sp. n. 1
 1079. *Parphorus* sp. n. 2
 1080. *Papias phainis* Godman, 1900
 1081. *P. phaeomelas* (Hübner, 1831)
 1082. *P. tristissimus* Schaus, 1902
 1083. *Propapias proximus* (Bell, 1934)
 1084. *Cobalopsis nero* (Herrich-Schäffer, 1869)
 1085. *C. venias* (Bell, 1942)
 1086. *C. dorpa* de Jong, 1983
 1087. *Arita arita* (Schaus, 1902)
 1088. *Morys compta compta* (Butler, 1877)
 1089. *M. geisa geisa* (Möschler, 1879)
 1090. *Morys* (?) sp.
 1091. *Psoralis* sp. n.
 1092. *Tigasis garima garima* (Schaus, 1902)
 1093. *Tigasis* sp. n.
 1094. *Vettius lafrenaye pica*
 (Herrich-Schäffer, 1869)
 1095. *V. richardi* (Weeks, 1906)
 1096. *V. triangularis* (Hübner, 1831)
 1097. *V. monacha* (Plötz, 1882)
 1098. *V. phyllus phyllus* (Cramer, 1777)
 1099. *V. marcus marcus* (Fabricius, 1787)
 1100. *V. artona* (Hewitson, 1868)
 1101. *V. yalta* Evans, 1955
 1102. *V. fuldai* (Bell, 1930)
 1103. *Vettius* sp. n.
 1104. *Paracarystus hypargyra*
 (Herrich-Schäffer, 1869)
 1105. *P. menestries rona* (Hewitson, 1866)
 1106. *Turesis complanula* (Herrich-Schäffer, 1869)
 1107. *T. basta* Evans, 1955
 1108. *Thoon canta* Evans, 1955
 1109. *T. modius* (Mabille, 1889)
 1110. *T. dubia* (Bell, 1932)
 1111. *T. taxes* (Godman, 1900)
 1112. *T. ponka* Evans, 1955
 1113. *T. aethus* (Hayward, 1951)
 1114. *T. ranka* Evans, 1955
 1115. *Thoon* sp. n. (nr. *yesta* Evans, 1955)
 1116. *Justinia phaetusa phaetusa* (Hewitson, 1866)
 1117. *J. justinianus dappa* Evans, 1955
 1118. *Justinia* sp. n.
 1119. *Eutychide complana*
 (Herrich-Schäffer, 1869)
 1120. *E. subcordata subcordata*
 (Herrich-Schäffer, 1869)
 1121. *E. sempa* Evans, 1955
 1122. *Onophas columbaria flossites* (Butler, 1874)
 1123. *Styriodes badius* (Bell, 1930)
 1124. *S. quaka* Evans, 1955
 1125. *Styriodes* sp. n.
 1126. *Enosis pruinosa pruinosa* (Plötz, 1882)
 1127. *E. iccius* Evans, 1955
 1128. *E. blotta* Evans, 1955
 1129. *E. immaculata demon* Evans, 1955
 1130. *E. angularis angularis* (Möschler, 1877)
 1131. *Enosis* (?) sp.
 1132. *Vertica verticalis* ssp. n.
 1133. *Ebusus ebusus ebusus* (Cramer, 1780)
 1134. *Talides sinois sinois* Hübner, 1819
 1135. *Tromba tromba* Evans, 1955
 1136. *Carystus jolus* (Cramer, 1782)
 1137. *C. senex* (Plötz, 1882)
 1138. *C. phorcus phorcus* (Cramer, 1777)
 1139. *Tisias quadrata quadrata*
 (Herrich-Schäffer, 1869)
 1140. *T. lesueur canna* Evans, 1955
 1141. *Moeros moeros* (Möschler, 1877)
 1142. *Cobalus virbius virbius* (Cramer, 1777)
 1143. *C. calvina* (Hewitson, 1866)
 1144. *Dubiella fiscella fiscella* (Hewitson, 1877)
 1145. *D. dubius* (Cramer, 1781)
 1146. *Tellona variegata* (Hewitson, 1870)
 1147. *Damas clavus* (Herrich-Schäffer, 1869)
 1148. *Orphe vatinius* Godman, 1901
 1149. *O. gerasa* (Hewitson, 1867)
 1150. *Carystoides basoches* (Latreille, 1824)
 1151. *C. yenna* Evans, 1955
 1152. *C. noseda* (Hewitson, 1866)

1153. *C. sicania orbis* (Godman, 1901)
 1154. *C. cathaea* (Hewitson, 1866)
 1155. *Perichares philetes philetes* (Gmelin, 1790)
 1156. *P. lotus* (Butler, 1870)
 1157. *Orses cynisca* (Swainson, 1821)
 1158. *Alera* sp. n.
 1159. *Lycas godart boisduvalii* (Ehrmann, 1909)
 1160. *L. argentea* (Hewitson, 1866)
 1161. *Saturnus saturnus saturnus* (Fabricius, 1787)
 1162. *S. metonidia* (Schaus, 1902)
 1163. *S. reticulata meton* (Mabille, 1891)
 1164. *Phlebodes pertinax* (Cramer, 1781)
 1165. *P. campo sifax* Evans, 1955
 1166. *P. notex* Evans, 1955
 1167. *P. vira* (Butler, 1870)
 1168. *P. virgo* Evans, 1955 (?)
 1169. *P. torax* Evans, 1955
 1170. *Phlebodes* sp. n. 1
 1171. *Phlebodes* sp. n. 2
 1172. *Joanna boxi* Evans, 1955
 1173. *Quinta cannae* (Herrich-Schäffer, 1869)
 1174. *Cynea iquita* (Bell, 1941)
 1175. *C. corisana* (Möschler, 1883)
 1176. *C. popla* Evans, 1955
 1177. *C. bistrigula* (Herrich-Schäffer, 1869)
 1178. *C. diluta* (Herrich-Schäffer, 1869)
 1179. *Penicula bryanti* (Weeks, 1906)
 1180. *P. advena advena* (Draudt, 1923)
 1181. *P. crista* Evans, 1955
 1182. *Decinea decinea derisor* (Mabille, 1891)
 1183. *Decinea* sp. n.
 1184. *Orthos orthos orthos* (Godman, 1900)
 1185. *O. minka* Evans, 1955
 1186. *O. trinka* Evans, 1955
 1187. *O. potesta* (Bell, 1941)
 1188. *Conga chydaea* (Butler, 1877)
 1189. *Hylephila phyleus phyleus* (Drury, 1773)
 1190. *Wallengrenia curassavica* (Snellen, 1887)
 1191. *Pompeius pompeius* (Latreille, 1824)
 1192. *Mellana* sp. n.
 1193. *M. meridiani pandora* (Hayward, 1940)
 1194. *M. barbara* (Williams & Bell, 1931)
 1195. *Arotis pandora* (Lindsey, 1925)
 1196. *Hansa devergens devergens* (Draudt, 1923)
 1197. *Metron leucogaster ambrosei* (Weeks, 1906)
 1198. *M. zinra* (Hewitson, 1877)
 1199. *Propertius propertius* (Fabricius, 1793)
 1200. *Phemiades pohli pohli* (Bell, 1932)
 1201. *Calpodes ethlius* (Cramer, 1782)
 1202. *Panoquina ocola* (Edwards, 1863)
 1203. *P. fusina fusina* (Hewitson, 1868)
 1204. *Zenis jebus* ssp. n.
 1205. *Lindra* sp. n.
 1206. *L. boliviana* Mielke, 1993
 1207. *Oxyntes corusca* (Herrich-Schäffer, 1869)
 1208. *Niconiades xanthaphes* Hübner, 1821
 1209. *N. linga* Evans, 1955
 1210. *Aides duma argyrina* Cowan, 1970
 1211. *A. brino* (Cramer, 1781)
 1212. *A. aegita* (Hewitson, 1866)
 1213. *Saliana triangularis* (Kaye, 1914)
 1214. *S. fusta* Evans, 1955
 1215. *S. fischer* (Latreille, 1824)
 1216. *S. esperi* Evans, 1955
 1217. *S. antoninus* (Latreille, 1824)
 1218. *S. longirostris* (Sepp, 1840)
 1219. *S. morsa* Evans, 1955
 1220. *S. salius* (Cramer, 1775)
 1221. *S. saladin culta* Evans, 1955
 1222. *Thracides cleantes telmela* (Hewitson, 1866)
 1223. *T. thrasea* (Hewitson, 1866)
 1224. *T. nanea nanea* (Hewitson, 1867)
 1225. *T. phidon* (Cramer, 1779)
 1226. *Neoxeniades cincia* (Hewitson, 1867)
 1227. *N. braesia braesia* (Hewitson, 1867)
 1228. *Neoxeniades* sp. n.
 (nr. *cincia* Hewitson, 1867)
 1229. *Aroma aroma* (Hewitson, 1867)
 1230. *Chloeria psittacina*
 (C & R Felder, 1867) (SR)
 1231. *Pyrrhopygopsis socrates orasus*
 (Druce, 1876)
 1232. Unidentified 1 (*Vehilius* ?)
 1233. Unidentified 2 (nr. *Orphe*)
 1234. Unidentified 3 (nr. *Psoralis*)

 (SR) Slight record only

List of Butterflies From Pampas del Heath

Gerardo Lamas

NYMPHALIDAE		
Heliconiinae		
Heliconiini		
*	1. <i>Philaethria pygmalion</i> (Fruhstorfer, 1912)	GF
	2. <i>Dryadula phaetusa</i> (Linnaeus, 1758)	B (SR)
	3. <i>Dryas iulia alcionea</i> (Cramer, 1779)	F, GF
	4. <i>Neruda aoede manu</i> (Lamas, 1976)	GF
	5. <i>Heliconius burneyi ada</i> Neustetter, 1925	F
	6. <i>H. erato luscombei</i> Lamas, 1976	F, GF
	7. <i>H. melpomene schunkei</i> Lamas, 1976	F (SR)
	8. <i>H. numata lyrcaeus</i> Weymer, 1891	F, GF, PP
	9. <i>H. sara thamar</i> (Hübner, 1806)	F, GF
	10. <i>H. wallacei flavescens</i> Weymer, 1891	F
Nymphalinae		
Kallimini		
	11. <i>Junonia genoveva occidentalis</i> C. & R. Felder, 1862	GF, PP
Limenitidinae		
Coeini		
	12. <i>Historis odius</i> ssp. n.	F
	13. <i>Baeotus deucalion</i> (C. & R. Felder, 1860)	B (SR)
	14. <i>Colobura dirce dirce</i> (Linnaeus, 1758)	F
	15. <i>Tigridia acesta tapajona</i> (Butler, 1873)	F, GF (SR)
Biblidini		
	16. <i>Catonephele acontius acontius</i> (Linnaeus, 1771)	GF
	17. <i>C. numilia numilia</i> (Cramer, 1775)	GF
	18. <i>Nessaea obrina lesoudieri</i> LeMoult, 1933	F, GF
	19. <i>Eunica alpais alpais</i> (Godart, 1824)	GF
	20. <i>E. amelia erroneata</i> Oberthür, 1916	GF
	21. <i>E. malvina malvina</i> Bates, 1864	F
	22. <i>E. pusilla</i> Bates, 1864	GF
	23. <i>E. sydonia sydonia</i> (Godart, 1824)	F
	24. <i>Ectima iona</i> Doubleday, 1848	F
	25. <i>Pyrrhogyra crameri hagnodorus</i> Fruhstorfer, 1908	F
	26. <i>Temenis laothoe laothoe</i> (Cramer, 1777)	GF
	27. <i>Dynamine athemon barreiroi</i> Fernández, 1928	F