

List of Butterflies from Tambopata (Explorer's Inn Reserve)

Gerardo Lamas

Nymphalidae**Heliconiinae****Acraeini**

1. *Actinote pellenea hyalina* Jordan, 1913

Heliconiini

2. *Philaethria dido* (Linnaeus, 1763)
3. *Agraulis vanillae lucina* C & R Felder, 1862
4. *Dione juno juno* (Cramer, 1779)
5. *Dryadula phaetusa* (Linnaeus, 1758)
6. *Dryas iulia alcionea* (Cramer, 1779)
7. *Eueides aliphera aliphera* (Godart, 1819)
8. *E. heliconioides heliconioides*
C & R Felder, 1861
9. *E. isabella hippolinus* Butler, 1873
10. *E. lampeto concisa* Lamas, 1985
11. *E. tales tabernula* Lamas, 1985
12. *E. vibilia unifasciata* Butler, 1873
13. *Laparus doris doris* (Linnaeus, 1771)
14. *Neruda aoede manu* (Lamas, 1976)
15. *Heliconius burneyi ada* Neustetter, 1925
16. *H. demeter tambopata* Lamas, 1985
17. *H. elevatus lapis* Lamas, 1976
18. *H. erato luscombei* Lamas, 1976
19. *H. hecale sisyphus* Salvin, 1871
20. *H. leucadia* Bates, 1862
21. *H. melpomene schunkei* Lamas, 1976
22. *H. numata lyrcaeus* Weymer, 1891
23. *H. pardalinus maeon* Weymer, 1891
24. *H. sara thamar* (Hübner, 1806)
25. *H. wallacei flavescens* Weymer, 1891

Nymphalinae**Nymphalini**

26. *Hypanartia lethe* (Fabricius, 1793)

Kallimini

27. *Anartia amathea sticheli* Fruhstorfer, 1907
28. *A. jatrophae jatrophae* (Linnaeus, 1763)
29. *Metamorpha elissa elissa* Hübner, 1819
30. *Napeocles jucunda* (Hübner, 1808)
31. *Siproeta epaphus epaphus* (Latreille, 1813)
32. *S. stelenes meridionalis* (Fruhstorfer, 1909)

33. *Junonia genoveva occidentalis*

A. & R. Felder, 1862

Melitaeini

34. *Anthanassa drusilla verena* (Hewitson, 1864)
35. *Castilia angusta* (Hewitson, 1868)
36. *C. perilla acraeina* (Hewitson, 1864)
37. *Mazia amazonica* ssp. n.
38. *Eresia clara clara* Bates, 1864
39. *E. eunice olivencia* Bates, 1864
40. *E. nauplius plagiata* (Röber, 1914)
41. *Ortilia gentina* Higgins, 1981
42. *Tegosa claudina* (Eschscholtz, 1821)
43. *T. serpia* Higgins, 1981
44. *Telenassa burchelli* (Moulton, 1909)

Limnithidinae**Cocini**

45. *Historis acheronta acheronta*
(Fabricius, 1775)
46. *H. odius* ssp. n.
47. *Baeotus amazonicus* (Riley, 1919)
48. *B. beotus* (Doubleday, 1849)
49. *B. deucalion* (C & R Felder, 1860)
50. *B. japetus* (Staudinger, 1885)
51. *Smyrna blomfieldia blomfieldia*
(Fabricius, 1782)
52. *Colobura dirce dirce* (Linnaeus, 1758)
53. *Tigridia acesta tapajona* (Butler, 1873)

Biblidini

54. *Biblis hyperia laticlavata* (Thieme, 1904)
55. *Vila azeca azeca* (Doubleday, 1848)
56. *V. emilia caecilia* (C & R Felder, 1862)
57. *Myscelia capenas octomaculata*
(Butler, 1873)
58. *Catonephele acontius acontius*
(Linnaeus, 1771)
59. *C. antioe* (Godart, 1824)
60. *C. numilia numilia* (Cramer, 1775)
61. *C. salacia* (Hewitson, 1852)
62. *Nessaea obrina lesoudieri* LeMoult, 1933
63. *Eunica alpais alpais* (Godart, 1824)
64. *E. amelia erroneata* Oberthür, 1916

65. *E. caelina alycia* Fruhstorfer, 1909
 66. *E. clytia* (Hewitson, 1852)
 67. *E. concordia* (Hewitson, 1852)
 68. *E. eurota eurota* (Cramer, 1775)
 69. *E. ingens* Seitz, 1916
 70. *E. maja noerina* Hall, 1935
 71. *E. malvina malvina* Bates, 1864
 72. *E. marsolia fasula* Fruhstorfer, 1909
 73. *E. mygdonia mygdonia* (Godart, 1824)
 74. *E. norica occia* Fruhstorfer, 1909
 75. *E. orphise* (Cramer, 1775)
 76. *E. phasis* C & R Felder, 1862
 77. *E. pusilla* Bates, 1864
 78. *E. sophonisba agele* Seitz, 1916
 79. *E. sydonia sydonia* (Godart, 1824)
 80. *E. volumna celma* (Hewitson, 1852)
 81. *Hamadryas amphinome amphinome* (Linnaeus, 1767)
 82. *H. chloe chloe* (Stoll, 1787)
 83. *H. feronia feronia* (Linnaeus, 1758)
 84. *H. iphthime iphthime* (Bates, 1864)
 85. *H. laodamia laodamia* (Cramer, 1777)
 86. *Ectima iona* Doubleday, 1848
 87. *E. thecla astricta* Fruhstorfer, 1908
 88. *Panacea prola amazonica* Fruhstorfer, 1915
 89. *P. regina* (Bates, 1864)
 90. *Asterope markii hewitsoni* (Staudinger, 1886)
 91. *Pyrrhogyra crameri hagnodorus* Fruhstorfer, 1908
 92. *P. edocla cuparina* Bates, 1865
 93. *P. neareea amphiro* Bates, 1865
 94. *P. otolais olivenca* Fruhstorfer, 1908
 95. *Temenis laothoe laothoe* (Cramer, 1777)
 96. *T. pulchra pallidior* (Oberthür, 1901)
 97. *Nica flavilla sylvestris* Bates, 1864
 98. *Peria lamis* (Cramer, 1779)
 99. *Dynamine aerata aerata* (Butler, 1877)
 100. *D. agacles agacles* (Dalman, 1823)
 101. *D. artemisia glauce* (Bates, 1865)
 102. *D. athenon barreiroi* Fernández, 1928
 103. *D. coenus leucothea* (Bates, 1865)
 104. *D. myrson* (Doubleday, 1849)
 105. *D. postverta postverta* (Cramer, 1779)
 106. *D. racidula racidula* (Hewitson, 1852)
 107. *Haematera pyrame* ssp. n.
 108. *Catacore kolyma pasithea* (Hewitson, 1864)
 109. *Diaethria clymena peruviana* (Guenée, 1872)
 110. *Paulogramma pyracmon peristera* (Hewitson, 1853)
 111. *Callicore astarte stratiotes* (C & R Felder, 1861)
 112. *C. cynosura cynosura* (Doubleday, 1847)
 113. *C. eunomia carmen* (Oberthür, 1916)
 114. *C. excelsior ockendeni* (Oberthür, 1916)
 115. *C. hesperis* (Guérin, 1844)
 116. *C. hystaspes zelphanta* (Hewitson, 1858)
 117. *C. pygas cyllene* (Doubleday, 1847)
-
- Limenitidini**
-
118. *Adelpha aethalia davisii* (Butler, 1877)
 119. *A. attica* (C & R Felder, 1867)
 120. *A. cocala urraca* (C & R Felder, 1862)
 121. *A. cytherea lanilla* Fruhstorfer, 1913
 122. *A. epione agilla* Fruhstorfer, 1907
 123. *A. iphicles iphicles* (Linnaeus, 1758)
 124. *A. ixia pseudomessana* Fruhstorfer, 1913
 125. *A. jordani* Fruhstorfer, 1913
 126. *A. lerna lerna* (Hewitson, 1847)
 127. *A. malea fugela* Fruhstorfer, 1916
 128. *A. melona melona* (Hewitson, 1847)
 129. *A. mesentina chancha* Staudinger, 1886
 130. *A. naxia naxia* (C & R Felder, 1867)
 131. *A. paraena* (Bates, 1865)
 132. *A. phylaca juruana* (Butler, 1877)
 133. *A. plesasure phliassa* (Godart, 1824)
 134. *A. thesprotia delphicola* Fruhstorfer, 1909
 135. *A. zunilaces* (?) ssp. n.
-
- Cyrestidini**
-
136. *Marpesia berania berania* (Hewitson, 1852)
 137. *M. chiron marius* (Cramer, 1779)
 138. *M. crethon* (Fabricius, 1776)
 139. *M. egina* (Bates, 1865)
 140. *M. furcula oechalia* (Westwood, 1850)

(SR) Sight record only

141. *M. petreus petreus* (Cramer, 1776)
 142. *M. themistocles norica* (Hewitson, 1852)

Charaxinae

143. *Consul fabius divisus* (Butler, 1874)
 144. *Hypna clytemnestra negra*
 C. & R. Felder, 1862 (SR)
 145. *Siderone galanthis thebais*
 C. & R. Felder, 1862
 146. *Zaretis itus itus* (Cramer, 1777)
 147. *Fountainea chrysophana* (Bates, 1866)
 148. *F. euryple euryple* (C & R Felder, 1862)
 149. *Memphis basilia drucei* (Staudinger, 1887)
 150. *M. cambyses* (Druce, 1877)
 151. *M. glauce glauce* (C & R Felder, 1862)
 152. *M. moruus memphis* (C & R Felder, 1867)
 153. *M. phantes phantes* (Hopffer, 1874)
 154. *M. phila morpheus* (Staudinger, 1886)
 155. *M. philumena philumena* (Doubleday, 1849)
 156. *M. polycarmes* (Fabricius, 1775)
 157. *M. polyxo* (Druce, 1874)
 158. *M. xenocles xenocles* (Hewitson, 1850)
 159. *Archaeoprepona amphimachus symaithus*
 Fruhstorfer, 1916
 160. *A. demophon muson* (Fruhstorfer, 1905)
 161. *A. demophoon andicola* (Fruhstorfer, 1904)
 162. *A. licomedes* (Cramer, 1777)
 163. *A. meander megabates* Fruhstorfer, 1916
 164. *Prepona dexamenus dexamenus*
 Hopffer, 1874
 165. *P. laertes demodice* (Godart, 1824)
 166. *P. pheridamas* (Cramer, 1777)
 167. *P. pylene eugenes* Bates, 1865
 168. *Agrias amydon aristoxenus* Niepelt, 1913
 169. *A. claudina sardanapalus* Bates, 1860

Apaturinae

170. *Doxocopa agathina agathina* (Cramer, 1777)
 171. *D. laure griseldis* (C & R Felder, 1862)
 172. *D. lavinia* (Butler, 1866)
 173. *D. linda linda* (C & R Felder, 1862)
 174. *D. pavon pavon* (Latreille, 1809)
 175. *D. zunilda floriss* (Fruhstorfer, 1907)

Morphinae

176. *Antirreha hela* C & R Felder, 1862
 177. *A. philoctetes avernus* Hopffer, 1874
 178. *A. taygetina taygetina* (Butler, 1868)
 179. *Caerois chorinaeus protonoe*
 Fruhstorfer, 1912
 180. *Morpho absoloni* May, 1924
 181. *M. achilles theodorus* Fruhstorfer, 1907
 182. *M. deidamia grambergi* Weber, 1944
 183. *M. hecuba cisseistricta*
 LeMoult & Réal, 1962 (SR)
 184. *M. menelaus alexandrovna* Druce, 1874
 185. *M. telemachus iphichus*
 C & R Felder, 1862 (SR)
 186. *M. zephyritis* Butler, 1873

Brassolinae

187. *Brassolis sophorae ardens* Stichel, 1903
 188. *Narope cyllabarus* Westwood, 1851
 189. *N. nesope* Hewitson, 1869
 190. *N. panniculus* Stichel, 1904
 191. *N. syllabus* Staudinger, 1887
 192. *Dynastor darius* ssp. (SR)
 193. *Opsiophanes cassiae crameri*
 C & R Felder, 1862
 194. *O. invirae amplificatus* Stichel, 1904
 195. *O. quiteria quaestor* Stichel, 1902
 196. *Ooptera aorsa hilara* Stichel, 1902
 197. *Catoblepia berecynthia adjuncta* Stichel, 1906
 198. *C. soranus* Westwood, 1851
 199. *C. xanthicles belisar* Stichel, 1904
 200. *Selenophanes cassiope mapiriensis*
 Bristow, 1982
 201. *Eryphanis automedon tristis*
 Staudinger, 1887
 202. *Caligopsis seleucida seleucida*
 (Hewitson, 1877)
 203. *Caligo euphorbus euphorbus*
 (C & R Felder, 1862)
 204. *C. eurilochus livius* Staudinger, 1886
 205. *C. idomeneus idomenides* Fruhstorfer, 1903
 206. *C. illioneus praxiodus* Fruhstorfer, 1912
 207. *C. placidianus* Staudinger, 1887
 208. *C. teucer semicaerulea* Joicey & Kaye, 1917

Satyrinae

209. *Cithaerias pireta* ssp. n.
 210. *Haetera piera* ssp. n.
 211. *Pierella astyoche boliviana* Brown, 1948
 212. *P. horton* *albofasciata*
 Rosenberg & Talbot, 1914
 213. *P. hyalina extincta* Weymer, 1910
 214. *P. lamia chalybaea* Godman, 1905
 215. *P. lena brasiliensis* (C & R Felder, 1862)
 216. *Bia actorion rebeli* Bryk, 1953
 217. *Manataria hercyna hynrnesia*
 Fruhstorfer, 1912
 218. *Harjesia blanda* (Möschler, 1877)
 219. *H. obscura* (Butler, 1867)
 220. *H. oreba* (Butler, 1870)
 221. *Pseudodebis griseola* (Weymer, 1911)
 222. *P. marpessa* (Hewitson, 1862)
 223. *P. valentina* (Cramer, 1779)
 224. *Taygetis angulosa* Weymer, 1907
 225. *T. cleopatra* C & R Felder, 1862
 226. *T. echo koepcke* Forster, 1964
 227. *T. larua* C & R Felder, 1867
 228. *T. mermeria mermeria* (Cramer, 1776)
 229. *T. sosis* Hopffer, 1874
 230. *T. sylvia* Bates, 1866
 231. *T. thamyra* (Cramer, 1779)
 232. *T. virgilia* (Cramer, 1776)
 233. *Caeruleptychia aegrota* (Butler, 1867)
 234. *C. cyanites* (Butler, 1871)
 235. *C. helios* (Weymer, 1911)
 236. *C. lobelia* (Butler, 1870)
 237. *C. scopulata* (Godman, 1905)
 238. *C. ziza* (Butler, 1869)
 239. *Cepheptychia cephus cephus*
 (Fabricius, 1775)
 240. *Cepheptychia* sp. n.
 241. *Chloreptychia amaca* (Fabricius, 1776)
 242. *C. catharina* (Staudinger, 1886)
 243. *C. herseis* (Godart, 1824)
 244. *C. hewitsonii* (Butler, 1867)
 245. *Chloreptychia* sp. n. 1
 246. *Chloreptychia* sp. n. 2
 247. *Cissia myncea* (Cramer, 1780)
 248. *C. palladia* (Butler, 1867)
 249. *C. penelope* (Fabricius, 1775)
 250. *C. proba* (Weymer, 1911)
 251. *C. terrestris* (Butler, 1867)
 252. *Erichthodes erichtho* (Butler, 1867)
 253. *Euptychia enyo* Butler, 1867
 254. *Hermeptychia hermes* (Fabricius, 1775)
 255. *Magneptychia aliciae* (Hayward, 1957)
 256. *M. ayaya* (Butler, 1867)
 257. *M. batesii* (Butler, 1867)
 258. *M. gera nobilis* (Weymer, 1911)
 259. *M. "helle"* (Cramer, 1779) - homonym
 260. *M. lea philippa* (Butler, 1867)
 261. *M. libye* (Linnaeus, 1767)
 262. *M. moderata* (Weymer, 1911)
 263. *M. modesta* (Butler, 1867)
 264. *M. ocypete* (Fabricius, 1776)
 265. *M. pallega* (Schaus, 1902)
 266. *M. tricolor fulgora* (Butler, 1869)
 267. *Magneptychia* sp. n. 1
 268. *Magneptychia* sp. n. 2
 269. *Magneptychia* sp. n. 3
 270. *Megeptychia antonoe* (Cramer, 1775)
 271. *Pareptychia binocula binocula*
 (Butler, 1869)
 272. *P. interjecta hesionides* Forster, 1964
 273. *P. ocirrhoe* (Fabricius, 1776)
 274. *P. summandosa* (Gosse, 1880)
 275. *Paryphthimoides binalinea* (Butler, 1867)
 276. *Posttaygetis penelea penelea* (Cramer, 1777)
 277. *Rareptychia clio* (Weymer, 1911)
 278. *Splendeptychia boliviensis* Forster, 1964
 279. *S. furina* (Hewitson, 1862)
 280. *S. itonis* (Hewitson, 1862)
 281. *S. purusana* (Aurivillius, 1929)
 282. *S. triangula* (Aurivillius, 1929)
 283. *Splendeptychia* sp. n. 1
 284. *Splendeptychia* sp. n. 2
 285. *Splendeptychia* sp. n. 3
 286. *Splendeptychia* sp. n. 4
 287. *Yphthimoides mythra* (Weymer, 1911)
 288. *Zischkaia amalda* (Weymer, 1911)

 (SR) Sight record only

289. *Euptychia* "ordinata" (Weymer, 1911)
 290. *Amphidecta calliomma* (C & R Felder, 1862)
 291. *A. pignerator pignerator* Butler, 1867

Danainae

292. *Lycorea ilione phenarete* (Doubleday, 1847)
 293. *L. halia pales* C & R Felder, 1862
 294. *Danaus eresimus plexaure* (Godart, 1819)

Ithomiinae

295. *Athyrtis mechanitis salvini* Srnka, 1884
 296. *Tithorea harmonia brunnea* Haensch, 1905
 297. *Melinaea maelus lamasi* Brown, 1977
 298. *M. marsaeus clara*
 Rosenberg & Talbot, 1914
 299. *M. menophilus orestes* Salvin, 1871
 300. *Paititia neglecta* Lamas, 1979
 301. *Thyridia psidii ino* C & R Felder, 1862
 302. *Sais rosalia badia* Haensch, 1905
 303. *Forbestra olivencia aeneola* Fox, 1967
 304. *Mechanitis lysimnia menceles*
 Hewitson, 1860
 305. *M. mazaesus mazaesus* Hewitson, 1860
 306. *M. polymnia angustifascia* Talbot, 1928
 307. *Scada reckia labyrinthha* Lamas, 1985
 308. *Methona confusa psamathe*
 Godman & Salvin, 1898
 309. *M. curvifascia* Weymer, 1883
 310. *Rhodussa cantabrica pamina*
 (Haensch, 1905)
 311. *Napeogenes aethra deucalion* Haensch, 1905
 312. *N. inachia patientia* Lamas, 1985
 313. *N. pharo pharo* (C & R Felder, 1862)
 314. *Hypothyris euclea* ssp. n.
 315. *Oleria didymaea didymaea* (Hewitson, 1876)
 316. *O. onega lentita* Lamas, 1985
 317. *O. ramona calatha* Lamas, 1985
 318. *O. victorine victorine* (Guérin, 1844)
 319. *Ithomia agnosia agnosia* Hewitson, 1855
 320. *I. arduinna arduinna* d'Almeida, 1952
 321. *I. lichyi neivai* d'Almeida, 1940
 322. *I. salapia ardea* Hewitson, 1855
 323. *Callithomia alexirrhoe thornax* Bates, 1862
 324. *C. lena zelie* (Guérin, 1844)

325. *Dircenna dero* ssp. n.
 326. *D. loreta acreana* d'Almeida, 1950
 327. *Ceratinia neso peruensis* (Haensch, 1905)
 328. *C. tutia fuscens* (Haensch, 1905)
 329. *Ceraticada hymen hymen* (Haensch, 1905)
 330. *Episcada polita angelita* Lamas, 1985
 331. *Pteronymia antisao guntheri* Lamas, 1985
 332. *P. forsteri* Baumann, 1985
 333. *Hypoleria virginia vitiosa* Lamas, 1985
 334. "*Hypoleria*" *orolina arzalia*
 (Hewitson, 1876)
 335. *Pseudoscada timna* ssp. n.
 336. *Heterosais nephele nephele* (Bates, 1862)

Libytheinae

337. *Libytheana carinenta carinenta*
 (Cramer, 1777)

RIODINIDAE

338. *Euselasia ignita* Stichel, 1924
 339. *E. euboea euboea* (Hewitson, 1853)
 340. *E. pellonia* Stichel, 1919
 341. *E. eumedia eumedia* (Hewitson, 1853)
 342. *E. mirania* (Bates, 1868)
 343. *E. toppini* Sharpe, 1915
 344. *Euselasia* aff. *phelina* (Druce, 1878)
 345. *E. eusepus* (Hewitson, 1853)
 346. *E. nannothis* Stichel, 1924
 347. *E. euryone euryone* (Hewitson, 1856)
 348. *E. violetta* (Bates, 1868)
 349. *E. arbas* ssp.
 350. *E. praecipua* Stichel, 1924
 351. *E. euoras* (Hewitson, 1855)
 352. *E. eutyclus* (Hewitson, 1856)
 353. *E. jugata* Stichel, 1919
 354. *E. euodias euodias* (Hewitson, 1856)
 355. *E. orba spectralis* Stichel, 1919
 356. *E. issoria* (Hewitson, 1869)
 357. *E. euriteus euriteus* (Cramer, 1777)
 358. *E. eutaea eutaea* (Hewitson, 1853)
 359. *E. zena* (Hewitson, 1860)
 360. *E. opalina* (Westwood, 1851)
 361. *E. praeclara* (Hewitson, 1869)
 362. *E. melaphaea condensa* Stichel, 1927

363. *E. hygenius* group, sp. 1
 364. *E. hygenius* group, sp. 2
 365. *E. hygenius* group, sp. 3
 366. *E. hygenius* group, sp. 4
 367. *E. hygenius* group, sp. 5
 368. *E. cafusa janigena* Stichel, 1919
 369. *Euselasia* aff. *cafusa* (Bates, 1868)
 370. *E. crinon crinon* Stichel, 1919
 371. *Euselasia* sp. (*sergia rhodon* Seitz, 1917 ?)
 372. *E. julia* (Druce, 1878) (?)
 373. *E. labdacus reducta* Lathy, 1926
 374. *E. gelanor erilis* Stichel, 1919
 375. *E. murina* Stichel, 1925
 376. *E. teleclus* (Stoll, 1787)
 377. *Euselasia* sp., *midas* group
 378. *E. pelusia* Stichel, 1919
 379. *E. gordios* Stichel, 1919
 380. *E. eugeon* (Hewitson, 1856)
 381. *E. brevicauda* Lathy, 1926
 382. *E. uria angustifascia* Lathy, 1926
 383. *E. eubotes eubotes* (Hewitson, 1856)
 384. *E. angulata* (Bates, 1868)
 385. *E. utica euphaes* (Hewitson, 1855)
 386. *Euselasia* aff. *eubotes* Hewitson, 1856
 387. *Perophthalma tullius tullius* (Fabricius, 1787)
 388. *Mesophthalma idotea* ssp. (n.?)
 389. *Leucochimona hyphea pallida* (Lathy, 1932)
 390. *L. mathata chionea*
 (Godman & Salvin, 1885)
 391. *L. matisca* (Hewitson, 1860)
 392. *Semomesia capanea sodalis* Stichel, 1919
 393. *S. croesus siccata* Stichel, 1919
 394. *S. macaris* (Hewitson, 1859)
 395. *S. marisa marisa* (Hewitson, 1858)
 396. *S. tenella tenella* Stichel, 1910
 397. *Mesosemia* aff. *ephyne* (Cramer, 1776)
 398. *Mesosemia* aff. *metura* Hewitson, 1873
 399. *M. maeotis* Hewitson, 1859
 400. *M. calypso calypso* Bates, 1868
 401. *M. hesperina lycorias* Stichel, 1915
 402. *M. cippus* Hewitson, 1859
 403. *M. ibycus* Hewitson, 1859
 404. *M. luperca* Stichel, 1910
 405. *M. levis* Stichel, 1915
 406. *M. olivencia olivencia* Bates, 1868
 407. *M. philocles* ssp. n.
 408. *M. machaera machaera* Hewitson, 1860
 409. *M. thymetus umbrosa* Stichel, 1909
 410. *M. subtilis* Stichel, 1909
 411. *M. materna* Stichel, 1909
 412. *Mesosemia* aff. *materna* Stichel, 1909
 413. *M. naiadella naiadella* Stichel, 1909
 414. *M. nerine* Stichel, 1909
 415. *M. sirenia sirenia* Stichel, 1909
 416. *M. judicialis* Butler, 1874
 417. *Mesosemia* aff. *evias* Stichel, 1923
 418. *M. menoetes paetula* Stichel, 1915
 419. *M. ulrica ulrica* (Cramer, 1777)
 420. *M. decolorata* Lathy, 1932
 421. *Mesosemia* aff. *impedita* Stichel, 1909
 422. *Eurybia nicaea* ssp.
 423. *E. caerulescens caerulescens* Druce, 1904
 424. *E. dardus franciscana* C & R Felder, 1862
 425. *E. promota* Stichel, 1910
 426. *E. halimede halimede* (Hübner, 1807)
 427. *Alesa amesis* (Cramer, 1777)
 428. *A. hemiurga* Bates, 1867
 429. *Hyphilaria nicia* Hübner, 1819
 430. *H. parthenis tigrinella* Stichel, 1909
 431. *Napaea eucharila eucharila* (Bates, 1867)
 432. *N. melampia* ssp.
 433. *N. nepos nepos* (Fabricius, 1793)
 434. *Cremna actoris meleagris* Hopffer, 1874
 435. *C. thasus subrutila* Stichel, 1910
 436. *Eunogyra satyrus* Westwood, 1851
 437. *Lyropteryx apollonia apollonia*
 Westwood, 1851
 438. *Cyrenia martia martia* Westwood, 1851
 439. *Ancyluris meliboeus meliboeus*
 (Fabricius, 1776)
 440. *A. etias melior* Stichel, 1910
 441. *A. aulestes eryxo* (Saunders, 1859)
 442. *Rhetus arcus huanus* (Saunders, 1859)
 443. *R. periander laonome* (Morisse, 1838)

(SR) Sight record only

444. *Ithomeis lauronia* Schaus, 1902
 445. *Isapis agyrtus sestus* (Stichel, 1909)
 446. *Themone pais* ssp. n.
 447. *Notheme erota diadema* Stichel, 1910
 448. *Monethe albertus albertus*
 C & R Felder, 1862
 449. *Metacharis lucius* (Fabricius, 1793)
 450. *M. regalis regalis* Butler, 1867
 451. *Cariomothis erythromelas fulvus* Lathy, 1932
 452. *Pheles heliconides rufotincta* Bates, 1868
 453. *Chamaelimnas tircis iaeris* Bates, 1868
 454. *C. urbana* Stichel, 1916
 455. *Parcella amarynthina* (C & R Felder, 1865)
 456. *Charis anius* (Cramer, 1776)
 457. *Charis* sp. n.
 458. *C. gynaea zama* Bates, 1868
 459. *Chalodeta theodora theodora*
 (C & R Felder, 1862)
 460. *C. lypera* (Bates, 1868)
 459. *C. chaonitis* (Hewitson, 1866)
 462. *Caria mantinea amazonica* (Bates, 1868)
 463. *C. trochilus arete* (C & R Felder, 1861)
 464. *Comphotis drepana* (Bates, 1868)
 465. *Crocozona coecias coecias* (Hewitson, 1866)
 466. *Baeotis bacaenis bacaenita* Schaus, 1902
 467. *Lasaia agesilas agesilas* (Latreille, 1809)
 468. *L. arsis* Staudinger, 1887
 469. *L. pseudomeris* Clench, 1972
 470. *Amarynthia meneria* (Cramer, 1776)
 471. *Exoplisia cadmeis* (Hewitson, 1866)
 472. *Riodina lysippus lysias* Stichel, 1910
 473. *Melanis xarifa quadripunctata* (Stichel, 1910)
 474. *M. marathon stenotaenia* (Röber, 1904)
 475. *Mesene leucophrys* Bates, 1868
 476. *M. martha martha* Schaus, 1902
 477. *M. epaphus sertata* Stichel, 1910
 478. *M. nola eupteryx* Bates, 1868
 479. *M. pyrrha* Bates, 1868
 480. *Mesene* sp.
 481. *M. monostigma* (Erichson, 1848) (?)
 482. *Esthemopsis celina* Bates, 1868
 483. *Symmachia* sp. 1
 (?*cleonyma* Hewitson, 1870)
 484. *Symmachia* sp. 2 (?*probetor* Cramer, 1782)
 485. *S. tricolor tricolor* Hewitson, 1867
 486. *S. asclepia asclepia* Hewitson, 1870
 487. *Phaenochitonias sophistes* (Bates, 1868)
 488. *Sarota acantus* (Cramer, 1781)
 489. *Sarota* sp. nr. *acantus* (Cramer, 1781)
 490. *Sarota* aff. *myrtea* Godman & Salvin, 1886
 491. *S. chrysus chrysus* (Cramer, 1781)
 492. *Anteros formosus formosus* (Cramer, 1777)
 493. *A. acheus troas* Stichel, 1909
 494. *A. renaldus renaldus* (Stoll, 1791)
 495. *Anteros* sp. n. 1 (*aerosus* Stichel, 1924?)
 496. *Anteros* sp. n. 2
 497. *Calydna punctata* C & R Felder, 1861
 498. *C. catana* Hewitson, 1859
 499. *C. maculosa* Bates, 1868
 500. *C. euthria* Westwood, 1851
 501. *Emesis castigata castigata* Stichel, 1910
 502. *E. mandana mandana* (Cramer, 1780)
 503. *E. fatimella fatimella* Westwood, 1851
 504. *E. ocy pore ocy pore* (Geyer, 1837)
 505. *E. cerea* (Linnaeus, 1767)
 506. *E. temesa emesina* (Staudinger, 1887)
 507. *Argyrogrammana occidentalis placibilis*
 (Stichel, 1910)
 508. *A. physis phyton* (Stichel, 1911)
 509. *A. praestigiosa* (Stichel, 1929) (?)
 510. *A. trochilia rameli* (Stichel, 1930)
 511. *Pachythone xanthe* Bates, 1868
 512. *Callistium cleadas* (Hewitson, 1866)
 513. *Uraneis hyalina* (Butler, 1867)
 514. *Juditha azan* ssp. n.
 515. *J. molpe molpe* (Hübner, 1808)
 516. *Synargis orestessa* (Hübner, 1819)
 517. *S. abaris* (Cramer, 1776)
 518. *S. phylleus orontes* (Stichel, 1923)
 519. *S. calyce calyce* (C & R Felder, 1862)
 520. *S. gela gela* (Hewitson, 1853)
 521. *S. agle* (Hewitson, 1853)
 522. *S. ochra ochra* (Bates, 1868)
 523. *S. regulus regulus* (Fabricius, 1793)
 524. *Mycastor nealces* ssp. n.
 525. *Parnes nycteis* Westwood, 1851

526. *P. philotes* Westwood, 1851
 527. *Pandemos pasiphae* (Cramer, 1775)
 528. *Calospila lucianus lucianus* (Fabricius, 1793)
 529. *C. emylius emyliana* (Stichel, 1911)
 530. *C. rhodope amphis* (Hewitson, 1870)
 531. *C. parthaon* (Dalman, 1823)
 532. *C. gyges* ssp.
 533. *C. zeanger zeanger* (Stoll, 1790)
 534. *C. rhesa* ssp.
 535. *C. cerealis cerealis* (Hewitson, 1863)
 536. *Adelotypa aristus* ssp.
 537. *Adelotypa* aff. *aristus* (Stoll, 1790)
 538. *A. huebneri pauxilla* (Stichel, 1911)
 539. *A. mollis asemna* (Stichel, 1910)
 540. *A. leucocyana* (Geyer, 1837)
 541. *A. epixanthe* (Stichel, 1911)
 542. *A. aminias aminias* (Hewitson, 1863)
 543. *A. balista balista* (Hewitson, 1863)
 544. *A. annulifera* (Godman, 1903)
 545. "*Adelotypa*" *lampros* (Bates, 1868)
 546. *Setabis epitus epiphanis* Stichel, 1910
 547. *S. velutina* (Butler, 1867)
 548. *S. lagus* group, sp. 1 (*pythioides*?)
 549. *S. lagus* group, sp. 2
 550. *S. lagus* group, sp. 3
 551. *S. heliodora* (Staudinger, 1887)
 552. *S. cruentata* (Butler, 1867)
 553. *S. flammula* (Bates, 1868)
 554. *Theope eudocia eudocia* Westwood, 1851
 555. *Theope* sp. nr. *hypoleuca*
 Bates, 1868 (*foliorum*?)
 556. *T. pedias pedias* Herrich-Schäffer, 1853
 557. *T. sericea* Bates, 1868
 558. *T. excelsa* Bates, 1868
 559. *T. mundula* Stichel, 1926
 560. *Theope* aff. *thootes* Hewitson, 1860
 561. *Theope* aff. *thebais* ssp.
 562. *Theope* aff. *thestias* Hewitson, 1860 (*discus*?)
 563. *Nymphidium mantus* (Cramer, 1775)
 564. *N. fulminans fulminans* Bates, 1868
 565. *N. baeotia* Hewitson, 1853
 566. *N. minuta* Druce, 1904
 567. *N. azanoides amazonensis* Callaghan, 1986
 568. *N. omois* Hewitson, 1865
 569. *N. ascolia augea* Druce, 1904
 570. *N. leucosia medusa* Druce, 1904
 571. *N. acherois erymanthus* Ménétrières, 1855
 572. *N. caricae parthenium* Stichel, 1924
 573. *N. lisimon lisimon* (Stoll, 1790)
 574. *N. hesperinum* Stichel, 1911
 575. *Stalactis calliope* ssp. n.
 576. *S. phaedusa duvalii* (Perty, 1833)

(SR) Sight record only

LYCAENIDAE

577. *Hemiargus hanno* ssp.
 578. *Mithras nautes* (Cramer, 1779)
 579. "*Thecla*" nr. *orobia* (Hewitson, 1867)
 580. "*Thecla*" *cosmophila* (Tessmann, 1928)
 581. "*Thecla*" *maculata* (Lathy, 1936)
 582. *Thestius meridionalis* (Draudt, 1921)
 583. "*Thecla*" *ematheon* (Cramer, 1777)
 584. *Evenus regalis* (Cramer, 1775)
 585. *E. gabriela* (Cramer, 1775)
 586. *E. batesii* (Hewitson, 1865)
 587. *E. floralia* (Druce, 1907)
 588. *E. satyroides* (Hewitson, 1865)
 589. "*Thecla*" *falerina* (Hewitson, 1867)
 590. "*Thecla*" *myrtea* (Hewitson, 1867)
 591. "*Thecla*" *myrtusa* (Hewitson, 1867)
 592. *Arcas actaeon* (Fabricius, 1775)
 593. *A. tuneta* (Hewitson, 1865)
 594. *Theritas mavors* Hübner, 1818
 595. *Denivia acontius* (Goodson, 1945)
 596. *D. phegeus* (Hewitson, 1865)
 597. *D. viresco* (Druce, 1907)
 598. *D. hemon* (Cramer, 1775)
 599. *Denivia* nr. *lisus* (Stoll, 1790)
 600. *Paiwarria telemus* (Cramer, 1775)
 601. "*Thecla*" *ligurina* (Hewitson, 1874)
 602. "*Thecla*" *ergina* (Hewitson, 1867)
 603. *Thereus buris* (Druce, 1907)
 604. *T. columbicola* (Strand, 1916)
 605. *Arawacus separata* (Lathy, 1926)
 606. *Rekoa palegon* (Cramer, 1780)
 607. *Ocaria ocrisia* (Hewitson, 1868)
 608. *Chlorostrymon telea* (Hewitson, 1868)

609. *Panthiades bitias* (Cramer, 1777)
610. *P. aeolus* (Fabricius, 1775)
611. *P. boreas* (C & R Felder, 1865)
612. *P. bathildis* (C & R Felder, 1865)
613. *P. phaleros* (Linnaeus, 1767)
614. "*Thecla*" *gemma* (Druce, 1907)
615. "*Thecla*" *minyia* (Hewitson, 1867)
616. *Parrhasius polibetes* (Cramer, 1781)
617. *P. orgia* (Hewitson, 1867)
618. *Michaelus ira* (Hewitson, 1867)
619. *M. vibidia* (Hewitson, 1869)
620. *M. thordesa* (Hewitson, 1867)
621. "*Thecla*" *nr. gadira* (Hewitson, 1867)
622. "*Thecla*" *nr. norax* (Godman & Salvin, 1887)
623. *Olyntus nr. stigmatos* (Druce, 1890)
624. *O. essus* (Herrich-Schäffer, 1853)
625. *O. lorea* (Möschler, 1883)
626. *O. punctum* (Herrich-Schäffer, 1853)
627. *O. avoca* (Hewitson, 1867)
628. *Oenomaus atena* (Hewitson, 1867)
629. *Oenomaus nr. atena* (Hewitson, 1867) 1
630. *Oenomaus nr. atena* (Hewitson, 1867) 2
631. *Oenomaus nr. melleus* (Druce, 1907)
632. *Strymon daraba* (Hewitson, 1867)
633. *S. cestri* (Reakirt, 1867)
634. *S. ziba* (Hewitson, 1868)
635. *Lamprospilus orcidia* (Hewitson, 1874)
636. *L. aunus* (Cramer, 1775)
637. *L. genius* Geyer, 1832
638. *Lamprospilus nr. nisaee*
(Godman & Salvin, 1887)
639. *L. lanckena* (Schaus, 1902)
640. "*Thecla*" *taminella* (Schaus, 1902)
641. "*Thecla*" *nr. galliena* (Hewitson, 1877)
642. "*Thecla*" *aruma* (Hewitson, 1877)
643. "*Thecla*" *syllis* (Godman & Salvin, 1887)
644. "*Thecla*" *hesperitis* (Butler & Druce, 1872)
645. "*Thecla*" *ceromia* (Hewitson, 1877)
646. "*Thecla*" *nr. ceromia* (Hewitson, 1877)
647. "*Thecla*" *vesper* (Druce, 1909)
648. "*Thecla*" *verbenaca* (Druce, 1907)
(female only)
649. *Symbiopsis "peruviana"*
(Lathy, 1936) - homonym
650. *Calycopis calus* (Godart, 1824)
651. *C. buphonia* (Hewitson, 1868)
652. *C. demonassa* (Hewitson, 1868)
653. *C. mimas* (Godman & Salvin, 1887)
654. *C. atnius* (Herrich-Schäffer, 1853)
655. *C. nicolayi* Field, 1967
656. *C. devia* (Möschler, 1883)
657. *C. vibulena* (Hewitson, 1877)
658. *C. vitruvia* (Hewitson, 1877)
659. *C. bellera* (Hewitson, 1877)
660. *C. anfracta* (Druce, 1907)
661. *C. anastasia* Field, 1967
662. *C. fractunda* Field, 1967
663. *C. centoripa* (Hewitson, 1868)
664. *C. caesaries* (Druce, 1907)
665. *C. cerata* (Hewitson, 1877)
666. *Calycopis nr. tifla* (Field, 1967)
667. *C. trebula* (Hewitson, 1868)
668. *Calycopis nr. vidulus* (Druce, 1907)
669. *C. orcillula* (Strand, 1916)
670. *C. atrox* (Butler, 1877)
671. *C. blora* (Field, 1967)
672. *Calycopis nr. naka* (Field, 1967)
673. *C. malta* (Schaus, 1902)
674. *C. anapa* (Field, 1967)
675. *Calycopis nr. barza* (Field, 1967)
676. *Tmolus echion* (Linnaeus, 1767)
677. *T. cydrara* (Hewitson, 1868)
678. *Tmolus nr. cydrara* (Hewitson, 1868)
679. *Tmolus nr. ufentina* (Hewitson, 1868)
680. *T. ufentina* (Hewitson, 1868)
681. *T. mutina* (Hewitson, 1867)
682. "*Thecla*" *gargophia* (Hewitson, 1877)
683. "*Thecla*" *nr. viceta* (Hewitson, 1868) 1
684. "*Thecla*" *nr. viceta* (Hewitson, 1868) 2
685. "*Thecla*" *emessa* (Hewitson, 1867)
686. "*Thecla*" *nr. tympania* (Hewitson, 1869) 1
687. "*Thecla*" *nr. tympania* (Hewitson, 1869) 2
688. "*Thecla*" *nr. tympania* (Hewitson, 1869) 3
689. "*Thecla*" *tympania* (Hewitson, 1869)
690. "*Thecla*" *tarena* (Hewitson, 1874)

691. *Siderus leucophaeus* (Hübner, 1813)
 692. *S. parvinotus* Kaye, 1904
 693. *Siderus* nr. *eliatha* (Hewitson, 1867)
 694. *S. athymbra* (Hewitson, 1867)
 695. *S. metanira* (Hewitson, 1867)
 696. *S. philinna* (Hewitson, 1868)
 697. "*Thecla*" *splendor* (Johnson, 1991)
 698. *Theclopsis lydus* (Hübner, 1819)
 699. *T. gargara* (Hewitson, 1868)
 700. "*Thecla*" *tephraeus* (Geyer, 1837)
 701. "*Thecla*" nr. *tephraeus* (Geyer, 1837)
 702. "*Thecla*" *sphinx* (Fabricius, 1775)
 703. "*Thecla*" *phoster* (Druce, 1907)
 704. "*Thecla*" *pulchritudo* (Druce, 1907)
 705. "*Thecla*" *strephon* (Fabricius, 1775)
 706. "*Thecla*" nr. *strephon* (Fabricius, 1775)
 707. "*Thecla*" *parvipuncta* (Lathy, 1926)
 708. "*Thecla*" *agrippa* (Fabricius, 1793)
 709. "*Thecla*" *carteia* (Hewitson, 1870)
 710. "*Thecla*" nr. *carteia* (Hewitson, 1870)
 711. "*Thecla*" *tyriam* (Druce, 1907)
 712. "*Thecla*" nr. *tyriam* (Druce, 1907)
 713. "*Thecla*" *syedra* (Hewitson, 1867)
 714. "*Thecla*" nr. *syedra* (Hewitson, 1867)
 715. "*Thecla*" *occidentalis* (Lathy, 1926)
 716. *Ministrymon megacles* (Cramer, 1780)
 717. *M. zilda* (Hewitson, 1873)
 718. *M. cruenta* (Gosse, 1880)
 719. *Ministrymon* nr. *cruenta* (Gosse, 1880)
 720. "*Thecla*" *terentia* (Hewitson, 1868)
 721. *Aubergina alda* (Hewitson, 1868)
 722. *Janthecla rocena* (Hewitson, 1867)
 723. *J. malvina* (Hewitson, 1867)
 724. *J. leea* Venables & Robbins, 1991
 725. *J. sista* (Hewitson, 1867)
 726. *Hypostrymon asa* (Hewitson, 1873)
 727. *Iaspis verania* (Hewitson, 1868)
 728. *I. castitas* (Druce, 1907)
 729. *Iaspis* nr. *castitas* (Druce, 1907)
 730. *I. temesa* (Hewitson, 1868)
 731. "*Thecla*" *picus* (Druce, 1907)
 732. *Brangas getus* (Fabricius, 1787)
 733. "*Thecla*" *cupentus* (Cramer, 1781)

734. *Trichonis immaculata* Lathy, 1930
 735. "*Thecla*" *biston* (Möschler, 1877)
 736. "*Thecla*" *bactriana* (Hewitson, 1868)
 737. *Nesiostrymon celona* (Hewitson, 1874)
 738. *Erora phrosine* (Druce, 1909)
 739. *Chalybs hassan* (Stoll, 1790)
 740. "*Thecla*" *tema* (Hewitson, 1867)
 741. *Caerofethra carnica* (Hewitson, 1873)
 742. *Celmia celmus* (Cramer, 1775)
 743. "*Thecla*" *color* (Druce, 1907)
 744. "*Thecla*" *mecrida* (Hewitson, 1867)
 745. "*Thecla*" *conoveria* (Schaus, 1902)
 746. "*Thecla*" *cegusa* (Hewitson, 1868)

(SR) Sight record only

PIERIDAE**Dismorphiinae**

747. *Pseudopieris nehemia melania* Lamas, 1985
 748. *Dismorphia theucharila argochloe*
 (Bates, 1861)
 749. *Enantia lina galanthis* (Bates, 1861)
 750. *E. melite linealis* (Prüffer, 1922)

Coliadinae

751. *Anteos menippe* (Hübner, 1818)
 752. *Aphrissa fluminensis* (d'Almeida, 1921)
 753. *A. statira statira* (Cramer, 1777)
 754. *Phoebis argante larra* (Fabricius, 1798)
 755. *P. philea philea* (Linnaeus, 1763)
 756. *P. sennae marcellina* (Cramer, 1777) (SR)
 757. *Rhabdodryas trite trite* (Linnaeus, 1758)
 758. *Eurema agave agave* (Cramer, 1775)
 759. *E. albula espinosae* (Fernández, 1928)
 760. *E. elathea obsoleta* (Jørgensen, 1932)
 761. *E. paulina* (Bates, 1861)
 762. *Pyrisitia leuce flavilla* (Bates, 1861)
 763. *P. nise* ssp. n.

Pierinae

764. *Hesperocharis emeris aida* Fruhstorfer, 1908
 765. *Glutophrissa drusilla drusilla* (Cramer, 1777)
 766. *Ascia monuste automate* (Burmeister, 1878)
 767. *Ganyra phaloe sublineata* (Schaus, 1902)
 768. *Itaballia demophile lucania*
 (Fruhstorfer, 1907)

769. *I. pandosia pisonis* (Hewitson, 1861)
 770. *Pieriballia viardi rubecula*
 (Fruhstorfer, 1907)
 771. *Melete lycimnia peruviana* (Lucas, 1852)
 772. *Perrhybris pamela mazuka* Lamas, 1981

PAPILIONIDAE

Papilioninae

773. *Protographium agesilaus autosilaus*
 (Bates, 1861)
 774. *Eurytides dolicaon deileon*
 (C & R Felder, 1865)
 775. *Protesilaus glaucolaus leucas*
 (Rothschild & Jordan, 1906)
 776. *P. molops hetaerius*
 (Rothschild & Jordan, 1906)
 777. *P. telesilaus telesilaus* (C & R Felder, 1864)
 778. *Mimoides ariarathes gayi* (Lucas, 1852)
 779. *M. pausanias pausanias* (Hewitson, 1852)
 780. *M. xynias xynias* (Hewitson, 1875)
 781. *Battus belus belus* (Cramer, 1777)
 782. *B. crassus* (Cramer, 1777)
 783. *B. lycidas* (Cramer, 1777)
 784. *B. polydamas polydamas* (Linnaeus, 1758)
 785. *Parides aeneas lamasi* Racheli, 1988
 786. *P. anchises drucei* (Butler, 1874)
 787. *P. lysander brissonius* (Hübner, 1819)
 788. *P. neophilus olivencius* (Bates, 1861)
 789. *P. pizarro kuhlmanni* (May, 1925)
 790. *P. sesostris sesostris* (Cramer, 1779)
 791. *P. vertumnus astorius* (Zikán, 1940)
 792. *Heraclides anchisiades anchisiades*
 (Esper, 1788)
 793. *H. androgeus androgeus* (Cramer, 1775)
 794. *H. chiansiades chiansiades*
 (Westwood, 1872)
 795. *H. hyppason* (Cramer, 1775)
 796. *H. thoas cinyras* (Ménétrières, 1857)
 797. *H. torquatus torquatus* (Cramer, 1777)

HESPERIIDAE

Pyrrhopyginae

798. *Pyrrhopyge phidias bixae* (Linnaeus, 1758)
 799. *P. aziza attis* Bell, 1931
 800. *P. proculus draudti* Bell, 1931
 801. *P. thericles rileyi* Bell, 1931
 802. *P. amythaon perula* Evans, 1951
 803. *P. sergius josephina* Draudt, 1921
 804. *P. cometes* ssp. n.
 805. *P. thelorsa* Hewitson, 1866
 806. *Elbella intersecta intersecta*
 (Herrich-Schäffer, 1869)
 807. *E. merops* (Bell, 1934)
 808. *E. patrobas* ssp. n.
 809. *E. blanda* Evans, 1951
 810. *E. azeta azeta* (Hewitson, 1866)
 811. *Elbella* sp. n.
 812. *Nosphistia zonara* (Hewitson, 1866)
 813. *Jemadia hospita hospita* (Butler, 1877)
 814. *J. hewitsonii hewitsonii* (Mabille, 1878)
 815. *J. gnetus* (Fabricius, 1782)
 816. *Mysoria sejanus* ssp. n.
 817. *Myscelus nobilis* (Cramer, 1777)
 818. *M. amystis mysus* Evans, 1951
 819. *M. pardalina pardalina*
 (C. & R. Felder, 1867)
 820. *Passova ganymedes gelina* Evans, 1951
 821. *P. passova styx* (Möschler, 1879)
 822. *Aspitha agenoria sanies* (Druce, 1908)
 823. *Oxynetra confusa* Staudinger, 1888

Pyrginae

824. *Phocides distans distans*
 (Herrich-Schäffer, 1869)
 825. *P. metrodorus metrodorus* Bell, 1932
 826. *P. vulcanides* Röber, 1925
 827. *P. novalis* Evans, 1952
 828. *P. padrona* Evans, 1952
 829. *P. pigmalion hewitsonius* (Mabille, 1883)
 830. *Tarsoctenus papias* (Hewitson, 1859)
 831. *T. corytus corba* Evans, 1952
 832. *T. praecia plutia* (Hewitson, 1857)
 833. *Phanus vitreus* (Cramer, 1781)

834. *P. ecitonorum* Austin, 1993
 835. *P. marshalli* (Kirby, 1880)
 836. *Udranomia kikkawai* (Weeks, 1906)
 837. *Drephalys dumeril* (Latreille, 1824)
 838. *D. oriander oriander* (Hewitson, 1867)
 839. *D. olvina* Evans, 1952
 840. *D. alcmon* (Cramer, 1779)
 841. *D. hypargus* (Mabille, 1891)
 842. *Augiades criniscus* (Cramer, 1780)
 843. *Hyalothyryus leucomelas* (Geyer, 1832)
 844. *Phareas coeleste* Westwood, 1852
 845. *Entheus eumelus ninyas* Druce, 1912
 846. *E. gentius* (Cramer, 1777)
 847. *E. priassus telemus* Mabille, 1898
 848. *Proteides mercurius mercurius*
 (Fabricius, 1787)
 849. *Epargyreus socus sinus* Evans, 1952
 850. *E. exadeus exadeus* (Cramer, 1779)
 851. *E. clavicornis clavicornis*
 (Herrich-Schäffer, 1869)
 852. *Polygonus manueli manueli*
 Bell & Comstock, 1948
 853. *Chioides catillus catillus* (Cramer, 1779)
 854. *Aguna* sp. n.
 855. *A. aurunce* (Hewitson, 1867) (?)
 856. *A. coelus* (Cramer, 1782) (?)
 857. *Polythrix octomaculata octomaculata*
 (Sepp, 1844)
 858. *P. minvanes* (Williams, 1926)
 859. *P. auginus* (Hewitson, 1867) (?)
 860. *P. metallescens* (Mabille, 1888)
 861. *P. eudoxus* (Cramer, 1781)
 862. *Heronia labriaris* (Butler, 1877)
 863. *Chrysoplectrum pervivax* (Hübner, 1819)
 864. *C. perniciosus perniciosus*
 (Herrich-Schäffer, 1869)
 865. *Codatractus* sp. n.
 866. *Urbanus pronta* Evans, 1952
 867. *U. esmeraldus* (Butler, 1877)
 868. *U. velinus* (Plötz, 1880)
 869. *U. dorantes dorantes* (Stoll, 1790)
 870. *U. teleus* (Hübner, 1821)
 871. *U. simplicius* (Stoll, 1790)
 872. *U. reductus* (Riley, 1919)
 873. *U. doryssus doryssus* (Swainson, 1831)
 874. *U. albimargo takuta* Evans, 1952
 875. *U. virescens* (Mabille, 1877)
 876. *U. chalco* (Hübner, 1823)
 877. *Cephise cephise* (Herrich-Schäffer, 1869) (?)
 878. *Astrartes talus* (Cramer, 1777)
 879. *A. fulgerator fulgerator* (Walch, 1775)
 880. *A. halesius* (Hewitson, 1877)
 881. *A. apastus apastus* (Cramer, 1777)
 882. *A. aulus* (Plötz, 1881)
 883. *A. enotrus* (Cramer, 1782)
 884. *A. janeira* (Schaus, 1902)
 885. *A. alector hopfferi* (Plötz, 1882)
 886. *A. cretatus cretatus* (Hayward, 1939)
 887. *A. creteus creteus* (Cramer, 1780)
 888. *A. chiriquensis* ssp. n.
 889. *Narcosius narcosius narcosius* (Stoll, 1790)
 890. *N. mura* (Williams, 1927)
 891. *Calliades zeutus* (Möschler, 1879)
 892. *Autochton neis* (Geyer, 1832)
 893. *A. longipennis* (Plötz, 1882)
 894. *A. zarex* (Hübner, 1818)
 895. *Venada advena* (Mabille, 1889)
 896. *Bungalotis astylos* (Cramer, 1780)
 897. *B. borax lactos* Evans, 1952
 898. *Salatis salatis* (Cramer, 1782)
 899. *Sarmientoia eriopis* (Hewitson, 1867)
 900. *Dyscophellus nicephorus* (Hewitson, 1876)
 901. *D. euribates euribates* (Cramer, 1782)
 902. *D. sebalus* (Cramer, 1781)
 903. *D. erythras* (Mabille, 1888)
 904. *D. ramusis ramusis* (Cramer, 1781)
 905. *Nascus phintias* Schaus, 1913
 906. *N. solon solon* (Plötz, 1882)
 907. *N. paullinae* (Sepp, 1842)
 908. *Porphyrogenes zohra stresa* Evans, 1952
 909. *Oileides azines* (Hewitson, 1867)
 910. *Celaenorrhinus shema shema*
 (Hewitson, 1877)
 911. *C. disjunctus* Bell, 1940
 912. *Celaenorrhinus* sp. (*similis* group)
 913. *C. syllius* (C & R Felder, 1862)

(SR) Sight record only

914. *C. jao* (Mabille, 1889)
 915. *Marela tamyris tamyris* Mabille, 1903
 916. *Telemiades delalande* (Latreille, 1824)
 917. *T. trenda* Evans, 1953
 918. *T. epicalus epicalus* Hübner, 1819
 919. *T. penidas* (Hewitson, 1867)
 920. *T. avitus* (Cramer, 1781)
 921. *T. antiopa tosa* Evans, 1953
 922. *T. amphion misitheus* Mabille, 1888
 923. *Eracon paulinus* (Cramer, 1782)
 924. *E. onoribo* (Möschler, 1883)
 925. *Spioniades artemides* (Cramer, 1782)
 926. *S. libethra* (Hewitson, 1868)
 927. *Mictris crispus* (Herrich-Schäffer, 1870)
 928. *Iliana heros heros* (Mabille & Boulet, 1917)
 929. *Sophista aristoteles aristoteles*
 (Westwood, 1852)
 930. *Polycator polycator polycator* (Prittwitz, 1868)
 931. *Nisoniades bessus* (Möschler, 1877)
 932. *N. mimas* (Cramer, 1775)
 933. *N. evansi* Steinhauser, 1989
 934. *N. brunneata* (Williams & Bell, 1939)
 935. *N. macarius* Herrich-Schäffer, 1870
 936. *Pachyneuria lineatopunctata lineatopunctata*
 (Mabille & Boulet, 1917)
 937. *P. duidae duidae* (Bell, 1932)
 938. *P. herophile* (Hayward, 1940)
 939. *Pellicia klugi* Williams & Bell, 1939
 940. *P. santana* Williams & Bell, 1939
 941. *P. costimacula costimacula*
 Herrich-Schäffer, 1870
 942. *P. trax* Evans, 1955
 943. *Morvina fissimacula rema* Evans, 1953
 944. *Cyclosemia earina* (Hewitson, 1878)
 945. *C. herennius elelea* (Hewitson, 1878)
 946. *Gorgopas trochilus* (Hopffer, 1874)
 947. *Viola olla* Evans, 1953
 948. *Bolla mancoi* (Lindsey, 1925)
 949. *B. cupreiceps* (Mabille, 1891)
 950. *B. morona morona* (Bell, 1940)
 951. *Staphylus chlora* Evans, 1953
 952. *S. putumayo* (Bell, 1937)
 953. *S. lizeri lizeri* (Hayward, 1938)
 954. *S. corumba* (Williams & Bell, 1940)
 955. *S. oeta* (Plötz, 1884)
 956. *S. astra* (Williams & Bell, 1940)
 957. *Plumbago plumbago* (Plötz, 1884)
 958. *Gorgythion begga pyralina* (Möschler, 1877)
 959. *G. beggina escalphoides* Evans, 1953
 960. *Ouleus juxta juxta* (Bell, 1934)
 961. *O. fridericus fridericus* (Geyer, 1832)
 962. *O. accedens noctis* (Lindsey, 1925)
 963. *Quadrus cerialis* (Cramer, 1782)
 964. *Q. contubernalis contubernalis*
 (Mabille, 1883)
 965. *Q. deyrollei porta* Evans, 1953
 966. *Gindanes brebisson phagesia*
 (Hewitson, 1868)
 967. *Pythonides jovianus fabricii* Kirby, 1871
 968. *P. lerina* (Hewitson, 1868)
 969. *P. grandis assecla* Mabille, 1883
 970. *P. herennius herennius* Geyer, 1838
 971. *P. braga* Evans, 1953
 972. *P. maraca* ssp. n.
 973. *Sostrata festiva* (Erichson, 1848)
 974. *S. pusilla pusilla* Godman & Salvin, 1895
 975. *Paches trifasciatus* Lindsey, 1925
 976. *Haemactis sanguinalis* (Westwood, 1852)
 977. *Milanion hemes* ssp.
 978. *M. hemestinus* Mabille & Boulet, 1917
 979. *M. pilumnus pilumnus*
 Mabille & Boulet, 1917
 980. *Charidia lucaria lucaria* (Hewitson, 1868)
 981. *Mylon ander ander* Evans, 1953
 982. *M. menippus* (Fabricius, 1776)
 983. *M. pelopidas* (Fabricius, 1793)
 984. *M. jason* (Ehrmann, 1907)
 985. *Carrhenes fuscescens conia* Evans, 1953
 986. *C. canescens leada* (Butler, 1870)
 987. *C. santes* Bell, 1940
 988. *Clito clito* (Fabricius, 1787)
 989. *Xenophanes tryxus* (Cramer, 1780)
 990. *Antigonus nearchus* (Latreille, 1817)
 991. *A. erosus* (Hübner, 1812)
 992. *A. decens* Butler, 1874

993. *Anisochoria pedalioidina pedalioidina* (Butler, 1870)
 994. *Aethilla echina echina* Hewitson, 1870
 995. *Achlyodes busirus heros* Ehrmann, 1909
 996. *A. mithridates thraso* (Hübner, 1807)
 997. *Anastrus sempiternus simplicior* (Möschler, 1877)
 998. *A. tolimus robigus* (Plötz, 1884)
 999. *A. petius petius* (Möschler, 1877)
 1000. *A. obliqua* (Plötz, 1884)
 1001. *A. meliboea bactra* Evans, 1953
 1002. *A. obscurus narva* Evans, 1953
 1003. *Ebrietas infanda* (Butler, 1877)
 1004. *E. anacreon anacreon* (Staudinger, 1876)
 1005. *E. evanidus* Mabille, 1898
 1006. *Cycloglypha thrasibulus thrasibulus* (Fabricius, 1793)
 1007. *C. tisas* (Godman & Salvin, 1896)
 1008. *Helias phalaenoides phalaenoides* (Hübner, 1812)
 1009. *Camptopleura theramenes* Mabille, 1877
 1010. *C. auxo* (Möschler, 1879)
 1011. *C. impressus* (Mabille, 1889)
 1012. *Chiomara mithrax* (Möschler, 1879)
 1013. *Pyrgus oileus orcus* (Cramer, 1780)
 1014. *Heliopetes alana* (Reakirt, 1868)
-
- Hesperinae**
-
1015. *Synapte silius* (Latreille, 1824)
 1016. *Lento* sp. n. 1
 1017. *L. ferrago* (Plötz, 1884)
 1018. *L. lucto* Evans, 1955
 1019. *L. imerius* (Plötz, 1884)
 1020. *L. lora* Evans, 1955
 1021. *Lento* sp. n. 2
 1022. *Anthoptus epictetus* (Fabricius, 1793)
 1023. *A. insignis* (Plötz, 1882)
 1024. *Corticea* sp. (n.?)
 1025. *C. corticea* (Plötz, 1882)
 1026. *Cantha zara* (Bell, 1941)
 1027. *C. calva* Evans, 1955
 1028. *Vinius sagitta* (Mabille, 1889)
 1029. *V. tryhana tryhana* (Kaye, 1914)
 1030. *Pheraeus maria* Steinhauser, 1991
 1031. *Pheraeus* sp. n. 1
 1032. *Pheraeus* sp. n. 2
 1033. *Misius misius* (Mabille, 1891)
 1034. *Molo mango* (Guenée, 1865)
 1035. *M. calcarea* ssp. n.
 1036. *Callimormus radiola radiola* (Mabille, 1878)
 1037. *Radiatus bradus* Mielke, 1968
 1038. *Eutocus matildae vinda* Evans, 1955
 1039. *E. quichua* Lindsey, 1925
 1040. *Virga virginus* (Möschler, 1883)
 1041. *V. phola* Evans, 1955 (?)
 1042. *Ludens silvaticus* (Hayward, 1940)
 1043. *Methionopsis ina* (Plötz, 1882)
 1044. *M. dolor* Evans, 1955
 1045. *Sodalia sodalis* (Butler, 1877)
 1046. *Artines aepitus* (Geyer, 1832)
 1047. *A. focus* Evans, 1955
 1048. *A. trogon* Evans, 1955
 1049. *Artines* sp. n.
 1050. *Flaccilla aecae* (Cramer, 1781)
 1051. *Mnaseas bicolor inca* Bell, 1930
 1052. *Gallio* sp. n.
 1053. *Thargella caura caura* (Plötz, 1882)
 1054. *Venas evans* (Butler, 1877)
 1055. *V. caerulans* (Mabille, 1878)
 1056. *Phanes aletes* (Geyer, 1832)
 1057. *P. almoda* (Hewitson, 1866)
 1058. *Vidius* sp. n.
 1059. *Nastra guianae* (Lindsey, 1925)
 1060. *Cymaenes tripunctus theogenis* (Capronnier, 1874)
 1061. *C. hazarma* (Hewitson, 1877)
 1062. *C. cavalla* Evans, 1955
 1063. *C. uruba taberi* (Weeks, 1901)
 1064. *Vehilius stictomenes stictomenes* (Butler, 1877)
 1065. *V. inca* (Scudder, 1872)
 1066. *V. almoneus* (Schaus, 1902)
 1067. *V. vetulus* (Mabille, 1878)
 1068. *V. putus* Bell, 1941
 1069. *Vehilius madius* ssp. n.
 1070. *Mnasilus allubita* (Butler, 1877)
 1071. *Mnasitheus chrysophrys* (Mabille, 1891)

1072. *M. forma* Evans, 1955
 1073. *M. nitra* Evans, 1955
 1074. *Remella remus* (Fabricius, 1798)
 1075. *Moeris submetallescens* ssp. n.
 1076. *Parphorus storax storax* (Mabille, 1891)
 1077. *P. decora* (Herrich-Schäffer, 1869)
 1078. *Parphorus* sp. n. 1
 1079. *Parphorus* sp. n. 2
 1080. *Papias phainis* Godman, 1900
 1081. *P. phaeomelas* (Hübner, 1831)
 1082. *P. tristissimus* Schaus, 1902
 1083. *Propapias proximus* (Bell, 1934)
 1084. *Cobalopsis nero* (Herrich-Schäffer, 1869)
 1085. *C. venias* (Bell, 1942)
 1086. *C. dorpa* de Jong, 1983
 1087. *Arita arita* (Schaus, 1902)
 1088. *Morys compta compta* (Butler, 1877)
 1089. *M. geisa geisa* (Möschler, 1879)
 1090. *Morys* (?) sp.
 1091. *Psoralis* sp. n.
 1092. *Tigasis garima garima* (Schaus, 1902)
 1093. *Tigasis* sp. n.
 1094. *Vettius lafrenaye pica*
 (Herrich-Schäffer, 1869)
 1095. *V. richardi* (Weeks, 1906)
 1096. *V. triangularis* (Hübner, 1831)
 1097. *V. monacha* (Plötz, 1882)
 1098. *V. phyllus phyllus* (Cramer, 1777)
 1099. *V. marcus marcus* (Fabricius, 1787)
 1100. *V. artona* (Hewitson, 1868)
 1101. *V. yalta* Evans, 1955
 1102. *V. fuldai* (Bell, 1930)
 1103. *Vettius* sp. n.
 1104. *Paracarystus hypargyra*
 (Herrich-Schäffer, 1869)
 1105. *P. menestries rona* (Hewitson, 1866)
 1106. *Turesis complanula* (Herrich-Schäffer, 1869)
 1107. *T. basta* Evans, 1955
 1108. *Thoon canta* Evans, 1955
 1109. *T. modius* (Mabille, 1889)
 1110. *T. dubia* (Bell, 1932)
 1111. *T. taxes* (Godman, 1900)
 1112. *T. ponka* Evans, 1955
 1113. *T. aethus* (Hayward, 1951)
 1114. *T. ranka* Evans, 1955
 1115. *Thoon* sp. n. (nr. *yesta* Evans, 1955)
 1116. *Justinia phaetusa phaetusa* (Hewitson, 1866)
 1117. *J. justinianus dappa* Evans, 1955
 1118. *Justinia* sp. n.
 1119. *Eutychie complana*
 (Herrich-Schäffer, 1869)
 1120. *E. subcordata subcordata*
 (Herrich-Schäffer, 1869)
 1121. *E. sempa* Evans, 1955
 1122. *Onophas columbaria flossites* (Butler, 1874)
 1123. *Styriodes badius* (Bell, 1930)
 1124. *S. quaka* Evans, 1955
 1125. *Styriodes* sp. n.
 1126. *Enosis pruinosa pruinosa* (Plötz, 1882)
 1127. *E. iccius* Evans, 1955
 1128. *E. blotta* Evans, 1955
 1129. *E. immaculata demon* Evans, 1955
 1130. *E. angularis angularis* (Möschler, 1877)
 1131. *Enosis* (?) sp.
 1132. *Vertica verticalis* ssp. n.
 1133. *Ebusus ebusus ebusus* (Cramer, 1780)
 1134. *Talides sinois sinois* Hübner, 1819
 1135. *Tromba tromba* Evans, 1955
 1136. *Carystus jolus* (Cramer, 1782)
 1137. *C. senex* (Plötz, 1882)
 1138. *C. phorcus phorcus* (Cramer, 1777)
 1139. *Tisias quadrata quadrata*
 (Herrich-Schäffer, 1869)
 1140. *T. lesueur canna* Evans, 1955
 1141. *Moeros moeros* (Möschler, 1877)
 1142. *Cobalus virbius virbius* (Cramer, 1777)
 1143. *C. calvina* (Hewitson, 1866)
 1144. *Dubiella fiscella fiscella* (Hewitson, 1877)
 1145. *D. dubius* (Cramer, 1781)
 1146. *Tellona variegata* (Hewitson, 1870)
 1147. *Damas clavus* (Herrich-Schäffer, 1869)
 1148. *Orphe vatinius* Godman, 1901
 1149. *O. gerasa* (Hewitson, 1867)
 1150. *Carystoides basoches* (Latreille, 1824)
 1151. *C. yenna* Evans, 1955
 1152. *C. noseda* (Hewitson, 1866)

1153. *C. sicania orbis* (Godman, 1901)
1154. *C. cathaea* (Hewitson, 1866)
1155. *Perichares philetus philetus* (Gmelin, 1790)
1156. *P. lotus* (Butler, 1870)
1157. *Orses cynisca* (Swainson, 1821)1158. *Alera* sp. n.
1159. *Lycas godart boisduvalii* (Ehrmann, 1909)
1160. *L. argentea* (Hewitson, 1866)
1161. *Saturnus saturnus saturnus* (Fabricius, 1787)
1162. *S. metonidia* (Schaus, 1902)
1163. *S. reticulata meton* (Mabille, 1891)
1164. *Phlebodes pertinax* (Cramer, 1781)
1165. *P. campo sifax* Evans, 1955
1166. *P. notex* Evans, 1955
1167. *P. vira* (Butler, 1870)
1168. *P. virgo* Evans, 1955 (?)
1169. *P. torax* Evans, 1955
1170. *Phlebodes* sp. n. 1
1171. *Phlebodes* sp. n. 2
1172. *Joanna boxi* Evans, 1955
1173. *Quinta cannae* (Herrich-Schäffer, 1869)
1174. *Cynea iquita* (Bell, 1941)
1175. *C. corisana* (Möschler, 1883)
1176. *C. popla* Evans, 1955
1177. *C. bistrigula* (Herrich-Schäffer, 1869)
1178. *C. diluta* (Herrich-Schäffer, 1869)
1179. *Penicula bryanti* (Weeks, 1906)
1180. *P. advena advena* (Draudt, 1923)
1181. *P. crista* Evans, 1955
1182. *Decinea decinea derisor* (Mabille, 1891)1183. *Decinea* sp. n.
1184. *Orthos orthos orthos* (Godman, 1900)
1185. *O. minka* Evans, 1955
1186. *O. trinka* Evans, 1955
1187. *O. potesta* (Bell, 1941)
1188. *Conga chydaea* (Butler, 1877)
1189. *Hylephila phyleus phyleus* (Drury, 1773)
1190. *Wallengrenia curassavica* (Snellen, 1887)
1191. *Pompeius pompeius* (Latreille, 1824)1192. *Mellana* sp. n.
1193. *M. meridiani pandora* (Hayward, 1940)1194. *M. barbara* (Williams & Bell, 1931) 1195. *Arotis pandora* (Lindsey, 1925)

1196. *Hansa devergens devergens* (Draudt, 1923)
 1197. *Metron leucogaster ambrosei* (Weeks, 1906)
 1198. *M. zimra* (Hewitson, 1877)
 1199. *Propertius propertius* (Fabricius, 1793)
 1200. *Phemiades pohli pohli* (Bell, 1932)
 1201. *Calpodes ethlius* (Cramer, 1782)
 1202. *Panoquina ocola* (Edwards, 1863)
 1203. *P. fusina fusina* (Hewitson, 1868) 1204. *Zenis jebus* ssp. n.
 1205. *Lindra* sp. n.
 1206. *L. boliviana* Mielke, 1993
 1207. *Oxyntes corusca* (Herrich-Schäffer, 1869)
 1208. *Niconiades xanthaphes* Hübner, 1821
 1209. *N. linga* Evans, 1955
 1210. *Aides duma argyrina* Cowan, 1970
 1211. *A. brino* (Cramer, 1781)
 1212. *A. aegita* (Hewitson, 1866)
 1213. *Saliana triangularis* (Kaye, 1914)
 1214. *S. fusta* Evans, 1955
 1215. *S. fischer* (Latreille, 1824)
 1216. *S. esperi* Evans, 1955
 1217. *S. antoninus* (Latreille, 1824)
 1218. *S. longirostris* (Sepp, 1840)
 1219. *S. morsa* Evans, 1955
 1220. *S. salius* (Cramer, 1775)
 1221. *S. saladin culta* Evans, 1955
 1222. *Thracides cleanthes telmela* (Hewitson, 1866)
 1223. *T. thrasea* (Hewitson, 1866)
 1224. *T. nanea nanea* (Hewitson, 1867)
 1225. *T. phidon* (Cramer, 1779)
 1226. *Neoxeniades cincia* (Hewitson, 1867)
 1227. *N. braesia braesia* (Hewitson, 1867) 1228. *Neoxeniades* sp. n.
 (nr. *cincia* Hewitson, 1867) 1229. *Aroma aroma* (Hewitson, 1867)
 1230. *Chloeria psittacina*
 (C & R Felder, 1867) (SR) 1231. *Pyrrhopygopsis socrates orasus*
 (Druce, 1876)
 1232. Unidentified 1 (*Vehilius* ?)
 1233. Unidentified 2 (nr. *Orphe*)
 1234. Unidentified 3 (nr. *Psoralis*)